

ACCREDITATION SCOPE OF THE TESTING LABORATORY (CENTER)

Moscow branch of the Federal State Budgetary Institution All-Russian Plant Quarantine Center (FGBU "VNIKR")

(Name of the testing laboratory (center))

Unique number of the accreditation record in the register of accredited entities RA.RU.21HP11

1. 123308, RUSSIA, Moscow, Khoroshevo-Mnevniki inner territorial municipal district, prospect Marshala Zhukova, 1; third floor, room No. 1, 2, 3, 4, 5, 6, 7, 8, 10, 12, No. 9,11 (storage rooms), No. 13 (storage of documents);
2. 141580, Russia, Moscow region, city district Solnechnogorsk, Pikino village, ul. Transportnaya, plot 1 block container: room 1, 2;
3. 143204, Russia, Moscow region, Mozhaisky urban district, Otyakovo village; 1 floor of the premises: rooms No. 1, 2, 4, 5 (storage rooms),
4. 142770, Russia, Moscow, Sosenskoye settlement, v. Nikolo-Khovanskoe, building 2004; 1st floor: rooms: No. 1, 2, 3, 4, 5 (storage rooms),
5. 140412, Russia, Moscow region, Kolomna, prospekt Avtomobilistov, 8A; 1 floor, rooms No. 1, 2, 3;
6. 140412, Russia, Moscow region, Krasnoznamensk, ul. Beryozovaya alleya, 1/2; 2 floor of the premises: No. 1, 2, 3;

Business address

Item No.	Documents establishing the study rules and methods (tests), measurements	Name of the object	Code of OKPD 2	Code of EAEU CN of FEA	Defined characteristic (indicator)	Range of definition
1	2	3	4	5	6	7
123308, Russia, Moscow, Khoroshevo-Mnevniki inner territorial municipal district, prospect Marshala Zhukova, 1; third floor (room No. 1, 2, 3, 4, 5, 6, 7, 8, 10, 12)						
1.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth) Insects	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
			-	-		
2.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus	Seedlings of coniferous trees Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
			-	0604202000, 0604204000		

	<i>Monochamus</i> , spread the in Russian Federation/ para. 4	Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
3.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/ para. 8	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected
		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		
		Insects	-	-		
4.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
5.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
6.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis</i> (<i>Quadraspidotus</i>) <i>perniciosus</i> (Comstok) Detection and identification methods/	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (<i>Quadraspidotus</i>) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		

	para. 8					
7.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (<i>Quadraspidiotus</i>) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
	Insects	-	-			
8.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		
	Insects	-	-			
9.	STO VNIKR 2.002 Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810	Peach fruit moth <i>Carposina niponensis</i>	detected/not detected
		Insects	-	-		
10.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
		Insects	-	-		
11.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification methods para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		

12.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		
13.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./ para. 4	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
		Insects	-	-		
14.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperda</i> (Smith)/ para. 3	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
15.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)/ para. 3	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
16.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected

	<i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects from the territory of regulated areas	-	-		
		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
17.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
	para. 4	Insects	-	-		
18.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
	para. 5	Insects	-	-		

19.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/ para. 4	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
20.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agilus planipennis</i> Fairmaire/ para. 4	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agilus planipennis</i> Fairmaire	detected/not detected
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of ash wood	-	4415		
		Insects	-	-		
21.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects from the territory of regulated areas	-	-		
		Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Pea leaf miner <i>Liriomyza</i>	detected/not detected
Fresh cut flowers	-	0603, 060420				

		Fresh leaf vegetables	-	0704, 0705, 0709	<i>huidobrensis</i> (Blanchard)	
	para. 8	Insects	-	-		
22.	ISPM 27 DP 16 Genus <i>Liriomyza</i> /	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected
		Fresh cut flowers	-	0603, 060420		
	Fresh leaf vegetables	-	0704, 0705, 0709			
	para. 4	Insects	-	-		
23.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
		para. 4	Insects	-		
24.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white- fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus</i> <i>leucoloma</i> Boheman	detected/not detected
		para. 4	Insects	-		
25.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		para. 2.2	Insects	-		
26.	MR VNIKR No. 96-2014	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602		detected/not detected

	Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus alternatus</i> Hope/ para. 2	Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.) Wooden boxes, pallets, made of wood of coniferous trees Wood of coniferous trees Insects	- - -	0604202000, 0604204000 4415 4401, 44032, 4404100000, 4406, 4407, 4409 -	Japanese pine sawyer <i>Monochamus alternatus</i> Hope	
27.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/ para. 4	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops. Insects	- -	0713, 1201, 1209 -	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
28.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i> para. 4	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops Insects	- -	0713, 1201, 1209 -	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
29.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/ para. 4	Seeds and grains of cereal, leguminous, oilseed crops Seeds of vegetable, forest, ornamental, and crops Processing products of grains of cereal, leguminous, oilseed crops	- - -	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000 1209, 0801, 0802, 0909 1101, 1102, 1103, 1104, 1105,	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected

				1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
30.	STO VNIKR 2.001 Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000	Kharpa beetle <i>Trogoderma</i> <i>granarium</i> Ev.	detected/not detected
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
31.	ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000	Kharpa beetle <i>Trogoderma</i> <i>granarium</i> Everts	detected/not detected
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		

		Dried fruits and nuts	-	0813		
		Insects	-	-		
32.	STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8	Seed and ware potatoes	-	0701	Tuber flea beetle <i>Epitrix tuberis</i> Gentner	detected/not detected
		Insects	-	-		
33.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica</i> <i>virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica</i> <i>virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
34.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica</i> <i>barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
35.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus</i> <i>nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
36.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis</i> <i>capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
37.	MR VNIKR No. 49-2007	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips</i> <i>palmi</i> Karny	detected/not detected

	Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/ para. 4	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602		
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
38.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602		
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Insects	-	-		
39.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602		
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
40.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602		
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
41.	MR VNIKR No. 13-2015	Sprouts of flower and berry crops	-	0601, 0602		

	Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
42.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
43.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
44.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
45.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		

	para. 4					
46.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/ para. 4.1-4.4	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
47.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
48.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		

49.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		
50.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
51.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
52.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		

		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
	para. 4	Insects	-	-		
53.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
	para. 4	Insects	-	-		
54.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
	para. 4	Insects	-	-		
55.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
	para. 4	Insects	-	-		
56.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected

		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0807		
		Fresh cut flowers	-	0603, 060420		
	para. 3	Insects	-	-		
57.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
58.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/ para. 8	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
		Insects	-	-		
59.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say) para. 4	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected

		Insects	-	-		
60.	MR VNIKR No. 14-2015 Methodological recommendations for detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected
		Insects	-	-		
61.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
62.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
63.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock	-	0604202000, 0604204000		

	budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	(<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Insects	-	-			
64.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Insects	-	0602	0604202000, 0604204000	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
65.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops Insects	-	0601, 0602		Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
66.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants Sunflower seeds Insects	-	0602	1206	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
67.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants Fresh vegetables Seed potatoes Insects	-	0601, 0602	0704, 0705, 0709 0701100000	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
68.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family Insects	-	0602, 0604		Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected

	para. 4					
69.	MR VNIKR No. 14-2016 Methodological recommendations for detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 3	Insects	-	-		
70.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
	para. 4.6	Fresh cut flowers	-	0603, 060420		
	Insects	-	-			
71.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
	para. 4	Insects	-	-		
72.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> /	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
	para. 4	Insects	-	-		
73.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i>	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		

	para. 4					
74.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
75.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad-nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks	-	0706, 0910	Broad-nosed grain weevil <i>Caulophilus oryzae</i> Gyll.	detected/not detected
		Seeds of wheat, barley, rice, chickpea, corn	-	1209		
		Dried fruits and nuts	-	0813		
		Fresh avocado fruits	-	0804		
		Insects	-	-		
76.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000	Citrus leafroller <i>Choristoneura occidentalis</i> Freeman	detected/not detected
		Seedlings of coniferous trees, potted plants of coniferous trees (bonsai)	-	0602		
		Insects	-	-		
77.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries	-	0804, 0805, 0806, 0808, 0809, 0810	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
		Insects	-	-		
78.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai) of ashes of the genus <i>Castanea</i>	-	0602, 0604	Chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)	detected/not detected
		Insects	-	-		

79.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula spp.</i>), potted plants (bonsai) of birch (<i>Betula spp.</i>)	-	0602, 0604	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected
		Wood of deciduous trees with and without bark (<i>Betula spp.</i>)	-	4401		
		Insects	-	-		
80.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix spp</i>)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
81.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3.4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
82.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
83.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
84.	MR VNIKR No. 36-2016 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.) Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	White-pine weevil <i>Pissodes strobi</i> (Peck)	
85.	MR VNIKR No. 29-2017 Methodological recommendations for detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Seedlings of coniferous trees (spruce, pine) Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - - -	0602 0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	detected/not detected
86.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
87.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
88.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected

89.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected
		Insects	-	-		
90.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
91.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
92.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
93.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
94.	MR VNIKR No. 95-2016 Methodological recommendations for	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected

	detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Insects	-	-		
95.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
96.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
97.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
98.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		

	para. 4					
99.	MR VNIKR No. 35-2017 Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Sprouts of vegetable, flower and ornamental crops	-	0602	Pea leaf miner <i>Liriomyza langei</i> Frick	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
	Insects	-	-			
100.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0602, 0703, 0705		
		Insects	-	-		
101.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
102.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham) para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
103.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald)/ para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
104.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)/	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		

	para. 5					
105.	MR VNIKR No. 144-2017 Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch) para. 4-6	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips <i>Frankliniella tritici</i> (Fitch)/	detected/not detected
		Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
106.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
107.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders)/ para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
108.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton)/ para. 4-6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
109.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
110.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura)/	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		

	para. 5					
111.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		
112.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
113.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agrilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agrilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
114.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
115.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		

		Insects	-	-		
116.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
117.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		

118.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
119.	Insect identification guide by larvae. Mamaev B. M. Moscow: Posveshchenie. 1972 y. 400 p.	Insects	-	-	Larvae of Coleoptera, Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	detected/not detected
120.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of blue grey fly <i>Aleurocanthus woglumi</i> and citrus mealywing <i>Aleurocanthus spiniferus</i> / para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
121.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiidea, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga,	detected/not detected

					<p>Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera, Hymenoptera, Diptera, Siphonaptera orders</p>	
122.	<p>Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.</p>	Insects	-	-	<p>Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families</p>	detected/not detected

123.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
124.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		
		Cut flowers, especially roses	-			
125.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		

		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
126.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
Other living non-shortened grape cuttings and offshoots	-	0602101000				
127.	MR VNIKR No. 30-2019 Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Chrysomphalus dictyospermi</i> (Morgan)	detected/not detected
		Other trees, shrubs and bushes, grafted and not grafted	-	0602208000		
		Other trees, shrubs and bushes, grafted and not grafted	-	0602209000		
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		

		Other plants for protected ground	-	0602909900		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Other live plants (including their roots), cuttings and offshoots	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904800		
		Plants for non-protected ground, other	-	0602905000		
		Trees, shrubs and bushes, grafted and not grafted	-	060222000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other living non-shortened grape cuttings and offshoots	-	0602101000		
128.	MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5	Apples, pears and quinces fresh	-	0808	<i>Cidia prunivora</i> (Walsingham)	detected/not detected
		Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh	-	0809		
		Other live non-shortened cuttings and branches of rosaceous seedlings	-	0602109000		
		Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned	-	0602209000		
		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		

129.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209, 1210, 1211, 1212, 1213000000, 1214		

		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 230400000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415,		

				4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		
		Works of art, collectibles	-	9705000000		
130.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
131.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of pome, stone, tropical, and subtropical fruits	-	0602		

		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810	<i>grandis</i> (Wiedemann)	
		Insects	-	-		
132.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		
133.	MR VNIKR No. 72-2018 Methodological recommendations for detection and identification of chestnut trunk borer <i>Neocarambyx raddei</i> Blessig/ para. 4	Large-sized planting material of <i>Quercus</i> spp. (oak), <i>Castanea</i> spp. (sweet chestnut), <i>Morus</i> spp. (mulberry)	-	0602	Chestnut trunk borer <i>Neocarambyx raddei</i> Blessig	detected/not detected
		Trees of <i>Quercus</i> spp. (oak), <i>Castanea</i> spp. (sweet chestnut), <i>Morus</i> spp. (mulberry) and products made of it	-	4401, 4403, 4406, 4407, 4408, 4409, 4410, 4411, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421		
		Insects	-	-		
134.	MR VNIKR No. 35-2018 Methodological recommendations for detection and identification of cottonwood borer <i>Plectrodera scalator</i> (Fabricius)/ para. 4	Planting material of the genus <i>Salicaceae</i>	-	0602	Cottonwood borer <i>Plectrodera scalator</i> (Fabricius)	detected/not detected
		Insects	-	-		
135.	MR VNIKR No. 95-2018 Methodological recommendations for detection and identification of camphor	Planting material of maple, hornbeam, chestnut, beech, cornel, sumac, styrax, camellia, hickory, plum, elm, grapevine, Japanese cedar, loblolly pine, trees from	-	0602	Camphor shot borer <i>Cnestus mutilates</i> (Blandford)	detected/not detected

	shot borer <i>Cnестus mutilates</i> (Blandford)/ para. 4	the families Lauraceae, Juglandaceae, Papilionaceae				
		Vegetative parts of maple, hornbeam, chestnut, beech, cornel, sumac, styrax, camellia, hickory, plum, elm, grapevine, Japanese cedar, loblolly pine, trees from the families Lauraceae, Juglandaceae, Papilionaceae	-	0604		
		Debarked deciduous trees and products made of it	-	4401, 4403, 4404, 4409, 4415, 4416, 4421, 4601, 4602		
		Insects	-	-		
136.	MR VNIKR No. 10-2018 Methodological recommendations for detection and identification of cucurbit beetle <i>Diabrotica speciose</i> (Germar)/ para. 4	Planting material of the plants of the genus <i>Poaceae</i> , <i>Fabaceae</i> , <i>Solanaceae</i> , <i>Cucurbitaceae</i> , <i>Brassicaceae</i> , <i>Rosaceae</i> , <i>Vitaceae</i> , <i>Asteraceae</i> , <i>Convolvulaceae</i> , <i>Euphorbiaceae</i> , <i>Zingiberaceae</i> , <i>Malvaceae</i> , <i>Rutaceae</i> , <i>Chenopodiaceae</i> , <i>Amaranthaceae</i>	-	0602	Cucurbit beetle <i>Diabrotica speciose</i> (Germar)	detected/not detected
		Insects	-	-		
137.	MR VNIKR No. 09-2018 Methodological recommendations for detection and identification of douglas-fir tussock moth <i>Orgyia pseudotsugata</i> (Mc Dunnough)/ para. 4	Propagative material and vegetative parts of coniferous plants: fir (<i>Abies concolor</i> , <i>A. grandis</i> , <i>A. lasiocarpa</i> , <i>A. magnifica</i>), Douglas fir (<i>Pseudotsuga menziesii</i>), larch (<i>Larix occidentalis</i>), spruce (<i>Picea engelmannii</i>), pine (<i>Pinus</i> sp.)	-	0602, 0604	Douglas-fir tussock moth <i>Orgyia</i> <i>pseudotsugata</i> (Mc Dunnough)	detected/not detected
		Trees with bark and parts of coniferous plants: fir (<i>Abies concolor</i> , <i>A. grandis</i> , <i>A. lasiocarpa</i> , <i>A. magnifica</i>), Douglas fir (<i>Pseudotsuga menziesii</i>), larch (<i>Larix occidentalis</i>), spruce (<i>Picea engelmannii</i>), pine (<i>Pinus</i> sp.); packing	-	4401, 4403, 4404		

		Insects	-	-		
138.	MR VNIKR No. 112-2018 Methodological recommendations for detection and identification of Australian tomato weevil <i>Listroderes costirostris</i> (Shoenherr)/ para. 3	Bulbs, tubers, bulbous tubers, onion vegetables, chicory roots, potatoes, cabbage, cauliflower, kohlrabi, collard, vegetables from the genus <i>Brassica</i> , lettuce, chicory, carrot, turnip, red beet, salsify, celeriac, radish	-	0601, 0602, 0701, 0703, 0704, 0705, 0706, 0709	Australian tomato weevil <i>Listroderes costirostris</i> (Shoenherr)/	detected/not detected
		Insects	-	-		
139.	MR VNIKR 67-2019 Methodological recommendations for detection and identification of <i>Anthocoris nemorum</i> (Linnaeus) para. 5	Insects	-		<i>Anthocoris nemorum</i> (Linnaeus)	detected/not detected
		Flower cuttings	-	0603, 0604		
		Fresh cut flowers	-	0603, 060420		
		Potted plants; planting material of fruit crops	-	0602		
		Planting material of fruit crops	-	-		
		Cut branches of deciduous plants	-	-		
140.	MR VNIKR 35-2019 Methodological recommendations for detection and identification of <i>Neodiprion lecontei</i> (Fitch) para. 9	Forest trees (pine)	-	0602904100	<i>Neodiprion lecontei</i> (Fitch)	detected/not detected
		Trees, shrubs and bushes conifers and evergreens (pine)	-	0602904700		
		Trees, bushes and shrubs, other (pine)	-	0602904800		
		Christmas trees (pine)	-	0604202000		
		Ветки хвойных деревьев (сосна)	-	0604204000		
		Leaves, branches and other parts of plants without flowers or buds <...> lichens suitable for making bouquets or for decorative purposes, fresh (pine)	-	0604909100		
		Insects	-	-		
141.	MR VNIKR 32-2019 Methodological recommendations	forest trees	-	0602904100		

	for detection and identification of <i>Pseudopityophthorus pruinosus</i> (Eichhoff) para. 3	other trees, shrubs and bushes	-	0602904800	<i>Pseudopityophthorus pruinosus</i> (Eichhoff)	detected/not detected
		fresh leaves, branches and other plant parts, others	-	0604209000		
		fuel wood in logs up to 1 meter long or in split logs and billets	-	4401100001		
		Oak logs, non-processed, with removed bark or not removed bark, removed, roughly sawn or unpeeled	-	4403911000		
		other beech timber, raw, without bark or with bark or sapwood, or roughly squared or not squared	-	4403929000		
		Other oak timber, unplanned, not jointed in a tenon, more than 6 mm thick, unpolished	-	4407919000		
142.	MR VNIKR 33-2019 Methodological recommendations for detection and identification of <i>Araecerus fasciculatus</i> (degeer) para. 3	Coconuts, dried; Brazil nuts in shell; Brazil nuts, peeled from the shell; Cashew nuts in the shell; Cashew nuts, peeled from the shell;	-	0801110000, 0801210000, 0801220000, 0801310000, 0801320000,	<i>Araecerus fasciculatus</i> (degeer)	detected/not detected
		Other nuts, fresh or dried, whether or not peeled, with or without peel; Plantains (bananas), dried; Bananas, dried; Citrus fruit, fresh or dried; Grapes, dried; Fruit, dried except for fruits of commodity items 0801 to 0806; Mixtures of nuts or dried fruits of the group; Citrus fruit peels or melon peels (including watermelon peels), fresh, frozen, dried or preserved for short-term storage in brine, sulphuric water or other temporary preserving solution;	-	0802, 0803109000, 0803909000, 0805, 080620, 0813, 0814000000		
		Caffeinated, unroasted coffee; Decaffeinated, unroasted coffee; Coffee husks and coffee shells; Coffee substitutes containing coffee; Pepper of the genus	-	090111000, 090112000, 0901901000, 0901909000,		

		Piper; Capsicum or Pimenta, dried or crushed or ground; Nutmeg, Mace and Cardamom; Seeds of Anise, Badian, Fennel, Coriander, Cumin of Rome, or Cumin; Juniper berries; Ginger, Saffron, Turmeric, Thyme or Thyme, Bay Leaf, Curry and Other Spices;		0904, 0908, 0908, 0908,		
		Wheat and meslin; Rye; Barley; Oats; Corn; Rice; Sorghum grain; Buckwheat, millet, and canary seed; other cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Grain of cereals processed in other ways (e.g., peeled, milled, flaked crushed, chaffed or ground), except rice of commodity No. 1006; germs of cereal grains, whole, rolled, flaked or milled;	-	1104		
		Soybeans, crushed or uncrushed; Peanuts, unroasted or otherwise uncooked, husked or unhusked, crushed or uncrushed; Hemp; Flax seeds, crushed or uncrushed; Seeds of rape or colza, crushed or uncrushed; Sunflower seeds, crushed or uncrushed; Seeds and fruits of other oilseeds, crushed or uncrushed; Ginseng roots; Sugarcane.	-	1201, 1202, 1203000000, 120400, 1202, 120600, 1207, 1211200000, 1212930000		
143.	MR VNIKR No. 34-2019 Methodological recommendations for detection and identification of <i>Spodoptera exempta</i> (Walker) para. 5	Plants of vegetable crops, wild strawberries and strawberries; Cut flowers and buds suitable for bouquets or decorative purposes;	-	0602903000, 0603	<i>Spodoptera exempta</i> (Walker)	detected/not detected
		Fresh or chilled cabbage; fruits of the genus Capsicum or the genus Pimenta.	-	0704, 070960		
144.	MR VNIKR No. 22-2019 Methodological recommendations for detection and identification of <i>Malacosoma californicum</i> (Staudinger) para. 4	forest trees; other trees, shrubs and bushes; fresh leaves, branches and other plant parts, other;	-	0602904100, 0602904800, 0604209000	<i>Malacosoma californicum</i> Packard	detected/not detected
		Fuel wood in the form of logs up to 1 m in length or split logs and logs; untreated timber, with removed or not removed bark or sapwood.	-	4401, 4403		

145.	MR VNIKR No. 17-2019 Methodological recommendations for detection and identification of <i>Dryocoetes confusus</i> Swaine para. 4	Untreated timber, with bark or sapwood removed or not removed, or roughly bordered or not bordered; cable drums of wood; flat pallets; pallet collars of wood (used to form a box pallet); barrels, kegs, vats, tubs and other cooperage and their parts, of wood, including rivets;	-	4403, 4415109000, 4415202000, 4416000000	<i>Dryocoetes confusus</i> Swaine	detected/not detected
		Other, trees, shrubs and bushes for non-protected ground; Christmas trees, fresh; branches of conifers, fresh.	-	0602904900, 0604202000, 0604204000		
146.	MR VNIKR 05-2019 Methodological recommendations on detection and identification of <i>Ceratitis rosa</i> (Wiedemann) para. 9.1-9.2	Seedlings with closed root system of stone and pomegranate crops	-	0602208000	<i>Ceratitis rosa</i> (Wiedemann)	detected/not detected
		Apricots fresh; Avocados fresh; Quinces fresh; Annona; Oranges fresh; Grapes fresh; Grapefruits fresh; Pears fresh; Guaiavas fresh; Figs fresh; Lemons fresh; Meyer lemon; Litchi fruit; Mangoes fresh; Mandarins fresh; Mushrooms fresh; Papaya fresh; Peaches (including nectarines) fresh; Plums; Tomatoes fresh; Apples fresh	-	08091 0000, 0804400000, 0808400000, 0810907500, 0805102000, 080610, 0805400000, 080830, 0804500001, 0804201000, 0805900000, 0810902000, 0804500001, 0805210000, 0810907500, 0807200000, 0809309000, 0809301000, 0809400500, 0702000000, 080810		
147.		Fresh or chilled potatoes	-	0701		

	MR VNIKR No. 03-2019 Methodological recommendations on detection and identification of <i>Epitrix papa</i> Orlova-Bienkowskaja para. 3	Plants of vegetable crops, wild strawberries (strawberries)	-	0602903000	<i>Epitrix papa</i> Orlova-Bienkowskaja	detected/not detected
148.	MR VNIKR No. 03-2019 Methodological recommendations on detection and identification of <i>Epitrix subcrinita</i> (Leconte) para. 3	Potatoes fresh or chilled; Sweet potatoes, or yams	-	0701, 071420	<i>Epitrix subcrinita</i> (Leconte)	detected/not detected
		Plants for non-protected ground, other; Rooted cuttings and young plants, except for cacti; Flowering plants with buds or flowers, except for cacti; Other;	-	0602905000, 0602907000, 0602909100, 060290990		
149.	MR VNIKR No. 02-2019 Methodological recommendations for detection and identification of <i>Pseudopityophthorus minutissimus</i> (Zimmermann)/ para. 4	Forest trees; Other trees, shrubs and bushes; Fresh leaves, branches and other plant parts, others. Fresh leaves, branches and other plant parts, others.	-	0602904100, 0602904800, 0604209000, 0604909000	<i>Pseudopityophthorus minutissimus</i> (Zimmermann)	detected/not detected
150.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER) para. 5	Apples, pears and quinces fresh; apricots, cherries and sweet cherries, peaches (including nectarines), plums, and thorns, fresh;	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		

151.	MR VNIKR No. 48-2014 Methodological recommendations for detection and identification of black scab of potato <i>Synchytrium endobioticum</i> (Schilb.) Perc./ para. 6-8	Seed and ware potatoes	-	0701	Black scab of potato <i>Synchytrium endobioticum</i> (Schilb.) Perc.	detected/not detected
		Sprouts of nightshade crops	-	0602		
		Tubers, plants, plant parts	-	-		
152.	STO VNIKR 3.005 Lanarkshire disease of strawberry <i>Phytophthora fragariae</i> Hickman. Detection and identification techniques/ para. 7-9	Sprouts (seedlings) of strawberry, raspberry	-	0602	Lanarkshire disease of strawberry <i>Phytophthora fragariae</i> Hickman	detected/not detected
		Plants, plant parts, soil	-	-		
153.	MR VNIKR No. 73-2015 Methodological recommendations for the detection and identification of <i>Monilinia fructicola</i> (Winter) Honey/ para. 7-9	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Brown rot <i>Monilinia fructicola</i> (Winter) Honey	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		
		Plants, plant parts	-	-		
154.	MR VNIKR No. 67-2013 Methodological recommendations for detection and identification of anthracnose of strawberry <i>Colletotrichum acutatum</i> J.H. Simmonds/ para. 3	Sprouts (seedlings) of strawberry	-	0602	Anthracnose of strawberry <i>Colletotrichum acutatum</i> J.H. Simmonds	detected/not detected
		Plants, plant parts	-	-		
155.	STO VNIKR 3.006 Stalk rot of sunflower <i>Diaporthe helianthi</i> Munt.-Cvet. et al. Detection and identification techniques/ para. 7-8	Sunflower seeds (for planting)	-	1206001000	Stalk rot of sunflower <i>Diaporthe helianthi</i> Munt.-Cvet. et al.	detected/not detected
		Sunflower plants	-	0602		
		Seeds, plants, plant parts	-	-		
156.	STO VNIKR 3.012 Flower blight of chrysanthemum <i>Didymella ligulicola</i> (K.F. Baker,	Chrysanthemum plants and cut flowers	-	0602, 0603140000	Flower of chrysanthemum <i>Didymella ligulicola</i>	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		

	Dimock & Davis) von Arx. Detection and identification techniques/ para. 7				(K.F. Baker, Dimock & Davis) von Arx	
157.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
158.	STO VNIKR 3.014 Smut of potato <i>Thecaphora solani</i> (Thirumulachar & O'Brien) Mordue. Detection and identification techniques/ para. 7	Sprouts of nightshade crops	-	0602	Smut of potato <i>Thecaphora solani</i> (Thirumulachar & O'Brien) Mordue	detected/not detected
		Seed and ware potatoes	-	0701		
		Tubers, plants, plant parts	-	-		
159.	STO VNIKR 3.008 Leaf spot of maize <i>Stenocarpella maydis</i> (Berkeley) Sutton and <i>Stenocarpella macrospora</i> (Earle) Petrak & Sydow. Detection and identification techniques/ para. 7-8	Corn seeds	-	0712901100, 100510	Leaf spot of maize <i>Stenocarpella macrospora</i> (Earle) Petrak & Sydow	detected/not detected
		Corn plants	-	0602		
		Seeds, plants, plant parts	-	-		
		Corn seeds	-	0712901100, 100510	Leaf spot of maize <i>Stenocarpella maydis</i> (Berkeley) Sutton	detected/not detected
		Corn plants	-	0602		
		Seeds, plants, plant parts	-	-		
160.	STO VNIKR 3.010 Indian bunt of wheat <i>Tilletia indica</i> Mitra. Detection and identification techniques/ para. 5-9	Wheat and meslin, triticale, grains and seeds	-	1001	Indian bunt of wheat <i>Tilletia indica</i> Mitra	detected/not detected
		Seeds, plants, plant parts	-	-		
161.	ISPM 27 DP 4 <i>Tilletia indica</i> Mitra/ para. 3-4	Wheat and meslin, triticale, grains and seeds	-	1001	Indian bunt of wheat <i>Tilletia indica</i> Mitra	detected/not detected
		Seeds, plants, plant parts	-	-		
162.	MR VNIKR No. 75-2014	Pine seedlings (<i>Pinus</i> spp.)	-	0602		

	Methodological recommendations for detection and identification of brown spot of pine <i>Mycosphaerella dearnessii</i> Barr/ para. 2	Pine plants, parts of pine plants (<i>Pinus</i> spp.)	-	0604202000, 0604204000	Brown spot of pine <i>Mycosphaerella dearnessii</i> Barr	detected/not detected
		Plants, plant parts	-	-		
163.	MR VNIKR No. 40-2014 Methodological recommendations for detection and identification of branch canker of pine <i>Atropellis pinicola</i> Zeller & Goodding, <i>Atropellis piniphila</i> (Weir) Lohman & Cash/ para. 2	Pine seedlings (<i>Pinus</i> spp.)	-	0602	Branch canker of pine <i>Atropellis pinicola</i> Zeller & Goodding	detected/not detected
		Wood with pine bark (<i>Pinus</i> spp.)	-	440110000, 440320, 4404100000		
		Pine plants, parts of pine plants (<i>Pinus</i> spp.)	-	0604202000, 0604204000		
		Plants, plant parts	-	-		
		Pine seedlings (<i>Pinus</i> spp.)	-	0602	Branch canker of pine <i>Atropellis piniphila</i> (Weir) Lohman & Cash	detected/not detected
		Wood with pine bark (<i>Pinus</i> spp.)	-	440110000, 440320, 4404100000		
		Pine plants, parts of pine plants (<i>Pinus</i> spp.)	-	0604202000, 0604204000		
		Plants, plant parts	-	-		
164.	STO VNIKR 3.009 Oak wilt <i>Ceratocystis fagacearum</i> (Bretz.) Hunt. Detection and identification techniques/ para. 7	Oak seedlings (<i>Quercus</i>)	-	0602	Oak wilt <i>Ceratocystis fagacearum</i> (Bretz.) Hunt.	detected/not detected
		Oak banches (<i>Quercus</i>)	-	0604		
		Unprocessed oak wood (<i>Quercus</i>)	-	4401, 440391		
		Plants, plant parts	-	-		
165.	MR VNIKR No. 31-2012 Methodological recommendations for detection and identification of <i>Phytophthora kernoviae</i> Brasier, Beales & S.A. Kirk/ P. 17-21	Plants of the genus <i>Fagus</i> , <i>Drimys</i> , <i>Magnolia</i> , <i>Michelia</i> , <i>Quercus</i> , <i>Rhododendron</i> , <i>Vaccinium</i> for planting	-	0602	<i>Phytophthora kernoviae</i> Brasier, Beales & S.A. Kirk	detected/not detected
		Soils and earth, peat, substrate for growing plants	-	2530900009, 2703000000		
		Plants, plant parts, soil	-	-		
166.	MR VNIKR No. 30-2014 Methodological recommendations for detection and identification of <i>Phytophthora ramorum</i> Weres et al./	Plants for planting of the genus <i>Camellia</i> , <i>Larix</i> , <i>Pieris</i> , <i>Rhododendron</i> , <i>Vaccinium</i> , <i>Viburnum</i> , <i>Quercus</i> , <i>Syringae</i>	-	0602	<i>Phytophthora ramorum</i> Weres et al.	detected/not detected
		Soils and earth, peat, substrate for growing plants	-	2530900009, 2703000000		

	para. 2	Plants, plant parts, soil	-	-		
167.	MR VNIKR No. 62-2014 Methodological recommendations for detection and identification of phymatotrichum root rot <i>Phymatotrichopsis omnivora</i> (Duggar) Hennebert/ para. 2	Plants of the family Rosaceae, Marecae, Uumbelliferae, Salicaceae for planting	-	0602	Phymatotrichum root rot <i>Phymatotrichopsis omnivora</i> (Duggar) Hennebert	detected/not detected
		Soils and earth, peat, substrate for growing plants	-	2530900009, 2703000000		
		Plants, plant parts, soil	-	-		
168.	MR VNIKR No. 133-2017 Methodological recommendations for detection and identification of ash dieback <i>Chalara fraxinea</i> T.Kowalski/ para. 2	Ash plants (genus <i>Fraxinus</i>) for planting	-	0602	Ash dieback <i>Chalara fraxinea</i> T.Kowalski	detected/not detected
		Ash seeds (genus <i>Fraxinus</i>)	-	12		
		Plants, plant parts	-	-		
169.	MR VNIKR No. 85-2015 Methodological recommendations for detection and identification of phialophora wilt of carnation <i>Phialophora cinerescens</i> (Wollenweber) van Beyma/ para. 2	Plants, cuttings, root layers of the genus <i>Danthus</i> for planting	-	0602, 0604	Phialophora wilt of carnation <i>Phialophora cinerescens</i> (Wollenweber) van Beyma	detected/not detected
		Soils and earth, peat, substrate for growing plants	-	2530900009, 2703000000		
		Plants, plant parts, soil	-	-		
170.	MR VNIKR No. 134-2017 Methodological recommendations for detection and identification of root disease of alder <i>Phytophthora alni</i> Brasier & S.A.Kirk/ para. 2	Plants of the genus <i>Alnus</i> for planting	-	0602	Root disease of alder <i>Phytophthora alni</i> Brasier & S.A.Kirk	detected/not detected
		Plants, plant parts, soil	-	-		
171.	MR VNIKR No. 135-2017 Methodological recommendations for detection and identification of blight of blueberry <i>Diaporthe vaccinii</i> Shear/ para. 2	Plants of the genus <i>Vaccinium</i> for planting	-	0602	Blight of blueberry <i>Diaporthe vaccinii</i> Shear	detected/not detected
		Plants, plant parts	-	-		

172.	MR VNIKR No. 31-2015 Methodological recommendations for detection and identification of leaf rust of poplar <i>Melampsora medusa</i> Thümen/ para. 2	Plants and branches of the genus <i>Abies</i> , <i>Lalix</i> , <i>Picea</i> , <i>Pinus</i> , <i>Tsuga</i> , <i>Pseudotsuga</i> , <i>Populus</i> for planting		0602, 0604	Leaf rust of poplar <i>Melampsora medusa</i> Thümen	detected/not detected
		Plants, plant parts	-	-		
173.	MR VNIKR No. 136-2017 Methodological recommendations for detection and identification of ear rot of maize <i>Cochliobolus carbonum</i> R.R. Nelson/ para. 2	Corn seeds	-	0712901100, 100510	Ear rot of maize <i>Cochliobolus carbonum</i> R.R. Nelson	detected/not detected
		Corn plants	-	0602		
		Seeds, plants, plant parts	-	-		
174.	MR VNIKR No. 97-2017 Methodological recommendations for detection and identification of <i>Glomerella gossypii</i> (South) Edgerton/ para. 2	Cotton plants for planting	-	0602	Anthracnose of cotton <i>Glomerella gossypii</i> (South) Edgerton	detected/not detected
		Cotton plant seeds	-	1209		
		Raw cotton	-	5201		
		Seeds, plants, plant parts	-	-		
175.	MR VNIKR No. 138-2017 Methodological recommendations for detection and identification of rust of pelargonium <i>Puccinia pelargonii-zonalis</i> Doidge/ para. 2	Plants of the <i>Pelargonium</i> genus for planting	-	0602	Rust of pelargonium <i>Puccinia pelargonii-zonalis</i> Doidge	detected/not detected
		Plants, plant parts	-	-		
176.	MR VNIKR No. 139-2017 Methodological recommendations for detection and identification of flower blight of camellia <i>Ciborinia camelliae</i> Koch/ para. 2	Plants for planting of the genus <i>Camellia</i>	-	0602	Flower blight of camellia <i>Ciborinia camelliae</i> Koch	detected/not detected
		Plants, plant parts	-	-		
177.	MR VNIKR No. 140-2017 Methodological recommendations for detection and identification of canker of butternut <i>Sirococcus clavigignenti-juglandacearum</i>	Nut plants (<i>Juglans</i>) for planting	-	0602	Canker of butternut <i>Sirococcus clavigignenti-juglandacearum</i>	detected/not detected
		Nut seeds (<i>Juglans</i>)	-	1209		
		Unprocessed wood of nut (<i>Juglans</i>)	-	4401, 440391		
		Plants, plant parts	-	-		

	<i>juglandacearum</i> Nair, Kostichka & Kunt/ para. 2				Nair, Kostichka & Kunt	
178.	MR VNIKR No. 50-2016 Methodological recommendations for detection and identification of needle cast of Japanese larch <i>Mycosphaerella laricis-leptolepidis</i> K. Ito, K. Sato & M. Ota/ para. 2	Seedlings of deciduous plants (<i>Larix</i> sp.)	-	0602	Needle cast of Japanese larch <i>Mycosphaerella laricis-leptolepidis</i> K. Ito, K. Sato & M. Ota	detected/not detected
		Parts of deciduous plants (<i>Larix</i> sp.)	-	0604		
		Plants, plant parts	-	-		
179.	GOST 12044-93 Interstate standard. Seeds of agricultural crops. Methods for determining disease infestation, Gosreystr, 1995	Seeds and grains of cereal, leguminous, oilseed crops	-	0713, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1209	Phytopathogenic fungi	detected/not detected
180.	MR VNIKR No. 94-2017 Methodological recommendations for detection and identification of brown needle blight of pine <i>Mycosphaerella gibsonii</i> H.C. Evans pp. 2.1-2.3	Pine seedlings (<i>Pinus</i> spp.)	-	0602	<i>Mycosphaerella gibsonii</i> H.C. Evans	detected/not detected
		Parts of pine plants (<i>Pinus</i> spp.)	-	0604		
		Plants, plant parts	-	-		
181.	MR VNIKR No. 95-2017 Methodological recommendations detection and identification of <i>Tilletia controversa</i> Kühn para. 2.1-2.3	Winter wheat	-	1001	<i>Tilletia controversa</i> Kühn	detected/not detected
		Winter wheat seeds for sowing	-	1001912000		
		Warehouse winter wheat	-	1001190000		
		Winter rye	-	1002		
		Winter seed rye	-	1002100000		
		Winter barley	-	1003		
		Winter seed barley	-	1003100000		
182.	MR VNIKR No. 71-2015 Methodological recommendations for detection and identification of <i>Ceratocystis fimbriata</i> Ellis & Halsted f.sp. <i>platani</i> Walter/ para. 2	Plants of the genus <i>Platanus</i> for planting	-	0602	<i>Ceratocystis fimbriata</i> Ellis & Halsted f.sp. <i>platani</i> Walter	detected/not detected
		Plane tree branches (<i>Platanus</i>)	-	0604		
		Unprocessed wood of plane tree (<i>Platanus</i>)	-	4401, 440391		
		Plants, plant parts	-	-		

183.	MR VNIKR No. 111-2017 Methodological recommendations for detection and identification of <i>Cronartium fusiforme</i> Hedgcock & Hunt ex Cummins/ para. 2.1-2.3, 2.3.1, 2.3.2	Pine seedlings (<i>Pinus</i> spp.)	-	0602	<i>Cronartium fusiforme</i> Hedgcock & Hunt ex Cummins/	detected/not detected
		Plants of the genus <i>Quercus</i> , <i>Q. phellos</i> , <i>Carya</i> , <i>Castanea</i> spp., <i>Castanopsis</i> spp., <i>Fagus</i> , <i>Lithocarpus densiflorus</i> , <i>Ostrya</i>	-	0602		
184.	70-2019 MR VNIKR Methodological recommendations on detection and identification of cephalic fungi in grain crops (<i>Tilletia</i> spp., <i>Ustilago</i> spp.) para. 2	Wheat and meslin; Durum seed wheat; Other durum wheat; Seeds; Spelt; Soft and meslin wheat; Other seeds; Rye; Seed rye; Other rye; Barley	-	1001, 1001 11 0000, 1001 19 0000, 1001 91, 1001 91 1000, 1001 91 2000, 1001 91 9000, 1002, 1002 10 0000, 1002 90 0000, 1003	<i>Tilletia</i> spp., <i>Ustilago</i> spp.	detected/not detected
185.	MR VNIKR No. 41-2019 Methodological recommendations on detection and identification of <i>Fusarium avenaceum</i> (Fr.) Sacc., <i>Fusarium graminearum</i> Schwabe, <i>Fusarium culmorum</i> (W.G. Sm.) Sacc., <i>Fusarium sporotrichioides</i> Sherb., <i>Microdochium nivale</i> (Fries) Samuels & I.C. Hallett para. 4.3.1-4.3.3	Durum seed wheat; Other durum wheat (not seeded); Spelt seed; Soft and meslin seed wheat; Other seed wheat; Other wheat (not seeded); Other barley; Seed barley; Other rye; Seed rye; Other oats; Seed oats; Triticale; Hybrid seed corn; Other seed corn; Non seed corn; Other seed corn	-	1001110000, 1001190000, 1001911000, 1001912000, 1001919000, 1001990000, 1003900000, 1003100000, 1002900000, 1002100000, 1004900000, 1004100000, 1008600000, 1005101, 1005109000, 1005900000	<i>Fusarium avenaceum</i> (Fr.) Sacc., <i>Fusarium graminearum</i> Schwabe, <i>Fusarium culmorum</i> (W.G. Sm.) Sacc., <i>Fusarium sporotrichioides</i> Sherb., <i>Microdochium nivale</i> (Fries) Samuels & I.C. Hallett	detected/not detected
186.		Live plants for non-protected ground, other	-	0602905000		

	MR VNIKR No. 40-2019 Methodological recommendations on detection and identification of <i>Verticillium albo-atrum</i> Renke et Berthold and <i>Verticillium dahliae</i> Klebahn para. 2.2.1-2.2.4	Seed soybean; Soybean, crushed or uncrushed, other; Rapeseed or Colza, low erucic acid, for sowing; Rapeseed or Colza seed, other, crushed or uncrushed, for sowing; Rapeseed or Colza Seeds, Low Erucic Acid, Other; Rapeseed or Colza Seeds, crushed or uncrushed, Other; Sunflower Seeds for Sowing; Other Sunflower Seeds, crushed or uncrushed	-	1201100000, 1201900000, 1205101000, 1205900001, 1205109000, 1205900009, 1206001000, 1206009900	<i>Verticillium albo-atrum</i> Renke et Berthold and <i>Verticillium dahliae</i> Klebahn	detected/not detected
187.	Item MR VNIKR 39-2019 Methodological recommendations for detection and identification of <i>Gymnosporangium yamadae</i> Miyabe ex Yamada. para. 2	Forest trees (g. Juniperus); Cuttings rooted and young plants (g. Juniperus); Other (g. Juniperus); Plants for non-protected ground, other (g. Juniperus); Trees, shrubs and bushes, grafted or ungrafted, bearing edible fruits or nuts (g. Malus); Other (g. Malus)	-	0602904100, 0602904500, 0602904900, 0602905000, 060220, 0602209000	Miyabe ex Yamada	detected/not detected
188.	MR VNIKR No. 86-2019 Methodological recommendations for detection and identification of <i>Cronartium quercuum</i> (Berk.) Miyabe ex shirai para. 4.3	Untreated timber, with bark or sapwood removed or not removed, or roughly edged or unedged, regarding <i>Pinus</i> spp.	-	4403	<i>Cronartium quercuum</i> (Berk.) Miyabe ex shirai	detected/not detected
		Other fresh leaves, branches and other parts of <i>Querus</i> , Cas; Branches of conifers, conifers, regarding <i>Pinus</i> spp.; Other trees, shrubs and shrubs for outdoor use, regarding <i>Querus</i> , <i>Castanea</i> and <i>Castanopsis</i> spp.; Trees, shrubs, shrubs for non-protected ground, evergreen conifers, regarding <i>Pinus</i> spp.; Root cuttings and young plants, regarding <i>Querus</i> , and <i>Pinus</i> spp.; Forest trees (seedlings), regarding <i>Pinus</i> spp, <i>Querus</i> spp.	-	0604209000, 0604204000, 0602904800, 0602904700, 0602904500, 0602904100		
189.	STO VNIKR 4.001 Twig blight of apple <i>Erwinia amylovora</i> (Burill.) Winslow et al. Detection and identification techniques/	Seedlings and cuttings of rosaceous plants: apple, pear, quince, plum, cotoneaster, hawthorn, rosehip, raspberry, blackberry, cinquefoil, ninebark, spiraea, mountain ash, pyracantha, Japanese	-	0602	Twig blight of apple <i>Erwinia amylovora</i> (Burill.) Winslow et al.	detected/not detected

		flowering quince, chaenomeles, medlar, photinia, juneberry, etc.				
	para.6.2.6	Plants, plant parts	-	-		
190.	ISPM 27 DP 13 <i>Erwinia amylovora</i> /	Seedlings and cuttings of rosaceous plants: apple, pear, quince, plum, cotoneaster, hawthorn, rosehip, raspberry, blackberry, cinquefoil, ninebark, spiraea, mountain ash, pyracantha, Japanese flowering quince, chaenomeles, medlar, photinia, juneberry, etc.	-	0602	Twig blight of apple <i>Erwinia amylovora</i> (Burill.) Winslow et al.	detected/not detected
	para. 3-4	Plants, plant parts	-	-		
191.	STO VNIKR 4.002 Bacterial leaf blight of maize <i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert et al. Detection and identification techniques/ para. 5-7	Corn seeds	-	0712901100, 100510	<i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert et al.	detected/not detected
		Seeds, plants, plant parts	-	-		
192.	MR VNIKR No. 49-2014 Methodological recommendations for detection and identification of bacterial blight of rice <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> and <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> / para. 1-3	Rice leaves	-	1006101000	<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings et al.	detected/not detected
		Seeds, plants, plant parts	-	-		
193.	STO VNIKR 4.009 Bacterial wilt of potato <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. Detection and identification techniques/ para. 6.3.3	Sprouts of the Solanaceae family (tomatoes, tobacco, peppers, eggplants), plants and seedlings of pelargonium, petunia, surfinia, seedlings and cuttings of plants of the Rosaceae family (roses)	-	0602	Bacterial wilt of potato <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al.	detected/not detected
		Seed and ware potatoes	-	0701		
		Tubers, plants, plant parts	-	-		

194.	MR VNIKR No. 67-2015 Methodological recommendations for detection and identification of seedling blight and bacterial blotch of cucurbits <i>Acidovorax citrulli</i> (Shaad et al.) para. 3.4.5	Vegetable seeds of forest, ornamental and other crops (watermelon, melon, citron melon, cucumber, pumpkin, squash, betel)	-	1209, 0807	Seedling and bacterial blotch of cucurbits <i>Acidovorax citrulli</i> (Shaad et al.)	detected/not detected
		Seeds, plants, plant parts	-	-		
195.	MR VNIKR No. 64-2016 Methodological recommendations for detection and identification of <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Spieckermann & Kotthoff) Davis et al./ para. 2.3.3	Sprouts of the family Solanaceae (tomatoes, aubergine), sprouts of vegetables (beet)	-	0602	<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Spieckermann & Kotthoff) Davis et al.	detected/not detected
		Seed potatoes	-	0701		
		Tubers, plants, plant parts	-	-		
196.	MR VNIKR No. 130-2017 Methodological recommendations for detection and identification of <i>Xanthomonas axonopodis</i> pv. <i>allii</i> (Roumagnac et al., 2004) para. 5.2.3	Onion (<i>Allium cepa</i> L.), potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables <i>A. fistulosum</i> , <i>A. schoenoprasum</i>	-	0703, 0704909000, 0706, 0709992000	<i>Xanthomonas axonopodis</i> pv. <i>allii</i> (Roumagnac et al., 2004)	detected/not detected
		Plants, plant parts	-	-		
197.	MR VNIKR No. 93-2016 Methodological recommendations for detection and identification of bacterial canker of stone fruits <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin et al./ para. 2.3.4	Seedlings and cuttings of rosaceous plants of the genus <i>Prunus</i> : Apricot, sweet cherry, cherry, David's peach, plum, almond, cherry laurel, peach, Chinese plum, and others	-	0602	Bacterial canker of stone fruits <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin et al.	detected/not detected
		Plants, plant parts	-	-		
198.	ISPM 27 DP 14 <i>Xanthomonas fragariae</i> /	Sprouts (seedlings) of strawberry	-	0602	<i>Xanthomonas fragariae</i> Kennedy and King	detected/not detected
		Plants, plant parts	-	-		
		Plants, plant parts	-	-		
199.	MR VNIKR No. 70-2012	Sugarbeet tubers and seeds	-	121291, 1209100000	Beet necrotic yellow vein benyvirus	detected/not detected

	Methodological recommendations for detection and identification of beet necrotic yellow vein benyvirus/ para. 7.4.4.1-7.4.4.3, 7.4.4.5.4-7.4.4.5.5	Plants, plant parts	-	-		
200.	MR VNIKR No. 69-2013 Methodological recommendations for detection and identification of tobacco ringspot nepovirus/ para. 7.2.7	Seeds of vegetable crops	-	120991	Tobacco ringspot nepovirus	detected/not detected
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602		
		Plants, plant parts	-	-		
201.	MR VNIKR No. 47-2013 Methodological recommendations for detection and identification of tomato ringspot nepovirus/ para. 7.2.7	Seeds of vegetable crops	-	120991	Tobacco ringspot nepovirus	detected/not detected
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602		
		Plants, plant parts	-	-		
202.	MR VNIKR No. 71-2012 Methodological recommendations for detection and identification of impatiens necrotic spot tospovirus/ para. 6.2.3	Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602	Impatiens necrotic spot tospovirus	detected/not detected
		Plants, plant parts	-	-		
203.	STO VNIKR 5.002 Plum pox potyvirus. Detection and identification techniques/ para. 7	Seedlings and cuttings of stone crops of <i>Prunus</i> spp.	-	0602	Plum pox potyvirus	detected/not detected
		Plants, plant parts	-	-		
204.	GOST 33505 Plant Quarantine. Detection and identification technique of plum pox potyvirus/ para. 7-8	Seedlings and cuttings of stone crops of <i>Prunus</i> spp.	-	0602	Plum pox potyvirus	detected/not detected
		Plants, plant parts	-	-		
		Plants, plant parts	-	-		
205.	STO VNIKR 5.004	Seed and ware potatoes	-	0701	Andean potato mottle comovirus	detected/not detected
		Plants, plant parts	-	-		

	Andean potato mottle comovirus. Detection and identification techniques/ para. 7.4.2-7.4.5, 7.4.7					
206.	STO VNIKR 5.003 Andean potato latent tymovirus. Detection and identification techniques/ para. 7.4.2-7.4.5, 7.4.7	Seed and ware potatoes	-	0701	Potato Andean latent tymovirus	detected/not detected
		Plants, plant parts	-	-		
207.	MR VNIKR No. 53-2015 Methodological recommendations for detection and identification of peach latent mosaic viroid/ para. 2.2.2.3	Seedlings and cuttings of stone crops of <i>Prunus</i> spp.	-	0602	Peach latent mosaic viroid	detected/not detected
		Plants, plant parts	-	-		
208.	MR VNIKR No. 39-2015 Methodological recommendations for detection and identification of tomato yellow leaf curl begomovirus/ para. 4-5	Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602	Methodological recommendations for detection and identification of tomato yellow leaf curl begomovirus	detected/not detected
		Plants, plant parts		-		
209.	MR VNIKR No. 38-2015 Methodological recommendations for detection and identification of potato spindle tuber viroid/ para. 4-5	Seed and ware potatoes	-	0701	Potato spindle tuber viroid	detected/not detected
		Seeds of vegetable crops	-	120991		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602		
		Tubers, plants, plant parts	-	-		
210.	ISPM 27 DP 7 Potato spindle tuber viroid para. 4.4	Seed and ware potatoes	-	0701	Potato spindle tuber viroid	detected/not detected
		Seeds of vegetable crops	-	120991		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental plants	-	0602		
		Tubers, plants, plant parts	-	-		

211.	MR VNIKR No. 18-2014 Methodological recommendations for detection and identification of peach rosette mosaic nepovirus/ para. 6.5.3.2	Unrooted cuttings and root layers of grapevine, grapevine seedlings	-	0602, 0602201000	Peach rosette mosaic nepovirus	detected/not detected
		Peach cuttings and seedlings	-	0602		
		Plants, plant parts	-	-		
212.	MR VNIKR No. 86-2015 Methodological recommendations for detection and identification of potato yellowing virus/ para. 4-5	Seed and ware potatoes	-	0701	Potato yellowing virus	detected/not detected
		Tubers, plants, plant parts	-	-		
213.	STO VNIKR 5.005 Potato virus T. Detection and identification techniques/ para. 7.4.1, 7.4.2	Seed and ware potatoes	-	0701	Potato virus T	detected/not detected
		Tubers, plants, plant parts	-	-		
214.	GOST 33539-2015 Plant Quarantine. Detection and identification techniques for potato virus T/ para. 7-8	Seed and ware potatoes	-	0701	Potato virus T	detected/not detected
		Tubers, plants, plant parts	-	-		
215.	MR VNIKR No. 19-2014 Methodological recommendations for detection and identification of cherry rasp leaf nepovirus/ para. 5.3	Seedlings and cuttings of stone crops of <i>Prunus</i> spp.	-	0602	Cherry rasp leaf nepovirus	detected/not detected
		Plants, plant parts	-	-		
216.	MR VNIKR No. 12-2015 Methodological recommendations for detection and identification of apple proliferation phytoplasma/ para. 2.6.1-2.6.4	Seedlings of fruit and ornamental plants	-	0602	Apple proliferation phytoplasma	detected/not detected
		Plants, plant parts	-	-		
217.	MR VNIKR No. 98-2016 Methodological recommendations for detection and identification <i>Candidatus</i> phytoplasma pyri	Seedlings of fruit and ornamental plants	-	0602	<i>Candidatus</i> Phytoplasma pyri	detected/not detected
		Plants, plant parts	-	-		

	para. 2					
218.	ISPM 27 DP 12 Phytoplasmas/ para. 3	Grapevine seedlings, cuttings, and root layers	-	0602101000, 0602201000	Phytoplasma <i>Candidatus</i> Phytoplasma	detected/not detected
		Plants, plant parts	-	-		
219.	MR VNIKR No. 29-2016 Methodological recommendations for detection and identification of chrysanthemum stunt viroid/ para. 2.4.2	Plants and sprouts of ornamental crops of the Asteraceae family	-	0602	Chrysanthemum stunt viroid	detected/not detected
		Plants, plant parts	-	-		
220.	STO VNIKR 6.001 Golden nematodes <i>Globodera</i> <i>rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/ para.9	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera</i> <i>pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera</i> <i>rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
221.	MR VNIKR No. 32-2015 Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe) para.7	Soybean grains and seeds	-	1201	Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
222.	STO VNIKR 6.004	Seed and ware potatoes	-	0701	Columbia root-knot nematode	detected/not detected

<p>Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karszen. Detection and identification techniques/</p>	<p>Bulbs, bulbous tubers, rootstock of ornamental crops, sprouts of herbaceous crops, seedlings of tree crops, potted plants</p>	-	0601, 0602	<p><i>Meloidogyne chitwoodi</i> Golden et al.</p>	
	<p>Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops</p>	-	0703, 0704909000, 0706, 0709992000, 0714		
	<p>Parts of plants and soil</p>	-	-		
	<p>Seed and ware potatoes</p>	-	0701	<p>False Columbia root-knot nematode <i>Meloidogyne fallax</i> Karszen</p>	<p>detected/not detected</p>
	<p>Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops</p>	-	0601, 0602		
	<p>Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>),</p>	-	0703, 0704909000, 0706, 0709992000, 0714		

	para.8	cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta L</i>), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops				
		Parts of plants and soil	-	-		
223.	STO VNIKR 6.003 Pine wood nematode <i>Bursaphelechus xylophilus</i> (Sterner & Buhrer) Nickle. Detection and identification techniques/ para.9	Seedlings of coniferous trees	-	0602	Pine wood nematode <i>Bursaphelechus xylophilus</i> (Sterner et Buhrer) Nickle	detected/not detected
		Fresh Christmas trees, fresh branches of coniferous trees	-	0604202000, 0604204000		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Plants, plant parts	-	-		
224.	ISPM 27 DP 10 <i>Bursaphelenchus xylophilus</i> / para. 3-4	Seedlings of coniferous trees	-	0602	Pine wood nematode <i>Bursaphelechus xylophilus</i> (Sterner et Buhrer) Nickle	detected/not detected
		Fresh Christmas trees, fresh branches of coniferous trees	-	0604202000, 0604204000		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Plants, plant parts	-	-		

225.	MR VNIKR No. 89-2016 Methodological recommendations for detection and identification of rice leaf nematode <i>Aphelenchoides besseyi</i> Christie/	Plants for unprotected ground (China grass <i>Boehmeria nivea</i> , chrysanthemum <i>Chrysanthemum morifolium</i> , painted nettle <i>Coleus blumei</i> , ricefield flatsedge <i>Cyperus iria</i> , many-spike flatsedge <i>Cyperus polystachyos</i> , dahlia <i>Dahlia variabilis</i> , tropical and subtropical herbaceous grains, hairy fingergrass <i>Digitaria adscendens</i> , <i>Digitaria sanguinalis</i> , Assam rubber <i>Ficus elastica</i> , native yellow hibiscus <i>Hibiscus brachenridgii</i> , French hydrangea <i>Hydrangea macrophylla</i> , garden balsam <i>Impatiens balsamina</i> , silver spikegrass <i>Imperata cylindrica</i> , stiff jasmine <i>Jasminum volobile</i> , <i>Narcissus</i> sp., Japanese panicgrass <i>Panicum bisulcatum</i> , crabgrass <i>Panicum sanguinale</i> , bush buffalograss <i>Panicum maximum</i> , bulrush millet <i>Pennisetum typhoides</i> , tuberose <i>Polianthes tuberosa</i> , common sugarcane <i>Saccharum officinarum</i> , foxtail bristlegrass <i>Setaria italica</i> , bottlegrass <i>Setaria viridis</i> , prairie grass <i>Sporobolus poiretii</i> , common zinnia <i>Zinnia elegans</i>), flowering plants for protected ground with buds and flowers, excluding cacti (African violet <i>Saintpaulia ionantha</i> , native yellow hibiscus <i>Hibiscus brachenridgii</i>), strawberry plants (strawberry <i>Fragaria</i> , garden strawberry <i>Fragaria x ananassa</i>)	-	0602	Rice leaf nematode <i>Aphelenchoides besseyi</i> Christie	detected/not detected
		Garlic (<i>Allium sativum</i>), onion (<i>Allium cepa</i>), scallion (<i>Allium cepa</i>)	-	0703		
		Chinese cabbage <i>Brassica pekinensis</i>	-	07040		

		Sweet potato for eating (<i>Ipomoea batatas</i>), Chinese potato for eating (<i>Colocasia esculenta</i>)	-	0714			
		Indian corn (<i>Zea mays</i>)	-	1005			
		Unpeeled raw rice for planting and other rice plants (common rice <i>Oryza sativa</i>)	-	1006			
		Hairy fingergrass <i>Digitaria adscendens</i> , crabgrass <i>Digitaria sanguinalis</i>	-	1008400000			
		Soybean <i>Glycine max</i>	-	1201100000			
		Seeds, plants, plant parts	-	-			
	para.7						
226.	ISPM 27 DP 8 <i>Ditylenchus dipsaci</i> and <i>Ditylenchus destructor</i> /	Bulbs, tubers, tuber-like roots, bulbous tubers, rootstock	-	0601, 0706, 0714	Bulb eelworm <i>Ditylenchus dipsaci</i>	detected/not detected	
		Sprouts (seedlings) of vegetable crops, berry (wild strawberry and strawberry), and flower crops	-	0602			
		Seed potatoes	-	0701			
		Garlic (<i>Allium sativum</i>) onion (<i>Allium cepa</i>) for sowing	-	0703			
		Peas and beans for sowing	-	0708, 1209			
	Tubers, plants, plant parts	-	-				
	para. 3-4		Bulbs, tubers, tuber-like roots, bulbous tubers, rootstock	-	0601, 0706, 0714		Potato root nematode <i>Ditylenchus destructor</i>
			Sprouts (seedlings) of vegetable crops, berry (wild strawberry and strawberry), and flower crops	-	0602		
			Seed potatoes	-	0701		
			Garlic (<i>Allium sativum</i>) onion (<i>Allium cepa</i>) for sowing	-	0703		
Peas and beans for sowing			-	0708, 1209			

		Tubers, plants, plant parts	-	-		
227.	MR VNIKR 93-2017 Methodological recommendations for detection and identification of <i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Bulbs, tubers, tuber-like roots, bulbous tubers, rootstock	-	0601, 0706, 0714	Bulb eelworm <i>Ditylenchus dipsaci</i>	detected/not detected
		Sprouts (seedlings) of vegetable crops, berry (wild strawberry and strawberry), and flower crops	-	0602		
		Seed potatoes	-	0701		
		Garlic (<i>Allium sativum</i>) onion (<i>Allium cepa</i>) for sowing	-	0703		
		Peas and beans for sowing	-	0708, 1209		
		Tubers, plants, plant parts	-	-		
		Bulbs, tubers, tuber-like roots, bulbous tubers, rootstock	-	0601, 0706, 0714		
	Sprouts (seedlings) of vegetable crops, berry (wild strawberry and strawberry), and flower crops	-	0602			
	Seed potatoes	-	0701			
	Garlic (<i>Allium sativum</i>) onion (<i>Allium cepa</i>) for sowing	-	0703			
	Peas and beans for sowing	-	0708, 12			
	Tubers, plants, plant parts	-	-			
	para.8.1					
	228.	Phytoparasitic nematodes of Russia. Zinoveva S. V., Chizhov V. N., Pridannikov M. V., Subbotin S. A., Ryss A. Iu., Khusainov R. V. Moscow: KMK Association of Scientific Publications. 2012 y. 385 p. Chapters 3-6	Seed and ware potatoes	-	0701	
Bulbs, tubers, tuber-like roots, bulbous tubers, rootstock			-	0601, 0706, 0714		
Sprouts (seedlings) of vegetable, berry, and flower crops			-	0602		
Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L.), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L.), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot			-	0703, 0704909000, 0706, 0709992000, 0714		

		(Maranta L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops				
		Soils and earth, peat, substrate for growing plants	-	2530900009, 2703000000		
		Seeds, plants, parts of plants, soil	-	-		
229.	Phytohelnthology basics. Paramonov A. A. Moscow: USSR Academy of Sciences publishing house. 1962 and 1964, 2 volumes, 479 and 446 p. V. I, ch. 9, pp. 429-450; V II, ch. 10, 11, p. 337-443	Seeds, plants, parts of plants, soil	-	-	Taxonomic list of phytoparasitic nematodes	detected/not detected
230.	Parasitic nematodes of plants and measures of their control. Kiryanova Y. S., Krall E. Leningrad: Nauka publishing house, Leningrad branch. 1969 and 1971, 2 volumes, 443 and 522 p. V. II, pp. 100-204	Seeds, plants, parts of plants, soil	-	-	Taxonomic list of phytoparasitic nematodes	detected/not detected
231.	MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000,		

				1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
232.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
233.	MR VNIKR No. 37-2015 Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	para. 3	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
234.	MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	White horse nettle <i>Solanum elaeagnifolium</i> Cav.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401,		

				2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
235.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
236.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004,		

	para. 7	processing; wool, floss, fibers of plant; sand, earth, soil.		1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
237.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		

		Plants, fruits, seeds	-	-		
238.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
239.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/ para. 5	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206,		

				1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
240.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
241.	MR VNIKR No. 11-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected

	<p>Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./</p> <p>para. 3</p>	<p>Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts</p> <p>Freash grapevine</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p> <p>Plants, fruits, seeds</p>	<p>-</p> <p>-</p> <p>-</p> <p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0602, 0603, 0604</p> <p>0806</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p> <p>-</p> <p>-</p>		
<p>242.</p>	<p>MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/</p> <p>para. 4</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p> <p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505,0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1211,</p>	<p>Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern</p>	<p>detected/not detected</p>

				1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 4101, 4102, 4103, 4301, 9705000000, 2530900009, 2703000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
243.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
244.	MR VNIKR No. 29-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Methodological recommendations for detection and identification of ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>	<p><i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle</p>	
245.	<p>MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4</p>	<p>Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404,</p>	<p>Spanish blackjack <i>Bidens bipinnata</i> L.</p>	<p>detected/not detected</p>

				2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
246.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000			
	Plants, fruits, seeds	-	-			
247.	MR VNIKR No. 38-2017 Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected

	para. 3	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
248.	MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./ para. 3	Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401,	Pitted morning glory <i>Ipomoea lacunosa</i> L.	detected/not detected

				2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
249.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
250.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004,		

	para. 3	processing; wool, floss, fibers of plant; sand, earth, soil.		1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
251.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
252.	MR VNIKR No. 64-2007 Technique for determination of viability of seeds and fruits of quarantine weeds in oilseed meal and mixed feeds	Seeds and fruits of weed plants	-	-	Seed and/or fruit viability	-
253.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
254.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414;	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of	-	0505, 060490, 0902, 0903000000, 0909, 0910, 1001,		

	p.25-414, tab. I-L	any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth		1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
255.	MR VNIKR No. 118-2018 Methodological recommendations for the identification of <i>Cenchrus longispinus</i> (HACK.) FERN para.5	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008; 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213, 1214	<i>Cenchrus Longispinus</i> (HACK.) FERN	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0602, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1105, 1106, 1107, 1108, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213, 1214, 1401, 1404, 2302, 2304, 2306, 2530900009, 4101, 4102, 4103, 4301,		

				9705000000, 2530900009, 2703000000		
		Melons, watermelons, papayas fresh	-	0807		
141580, Russia, Moscow region, city district Solnechnogorsk, Pikino village, ul. Transportnaya, plot 1 block container: room No. 1, 2						
256.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth)	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
		Insects	-	-		
257.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus <i>Monochamus</i> , spread the in Russian Federation/ para. 4	Seedlings of coniferous trees	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
258.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected
		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		

	para. 8	Insects	-	-		
259.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
260.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
261.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis</i> (<i>Quadraspidotus</i>) <i>perniciosus</i> (Comstok) Detection and identification methods/ para. 8	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (<i>Quadraspidotus</i>) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
262.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (<i>Quadraspidotus</i>) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
263.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		
		Insects	-	-		

264.	STO VNIKR 2.002 Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810	Peach fruit moth <i>Carposina niponensis</i>	detected/not detected
		Insects	-	-		
265.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
		Insects	-	-		
266.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification techniques/ para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
267.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		

268.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
	para. 4	Insects	-	-		
269.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperda</i> (Smith)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
270.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
271.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm <i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	Insects from the territory of regulated areas	-	-			

		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
272.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
273.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
274.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414,		

				4416000000, 4418		
		Containers made of coniferous wood	-	4415		
	para. 4	Insects	-	-		
275.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agrilus planipennis</i> Fairmaire/ para. 4	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agrilus planipennis</i> Fairmaire	detected/not detected
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of ash wood	-	4415		
	Insects	-	-			
276.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/ para. 8	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza</i> <i>trifolii</i> (Burg.)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
	Insects	-	-			
	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects from the territory of regulated areas	-	-		
	Pea leaf miner <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard)	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Pea leaf miner <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
Fresh leaf vegetables		-	0704, 0705, 0709			
Insects		-	-			
277.	ISPM 27 DP 16 Genus <i>Liriomyza</i> / para. 8	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected
		Fresh cut flowers	-	0603, 060420		

	para. 4	Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
278.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
	para. 4	Insects	-	-		
279.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white- fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus</i> <i>leucoloma</i> Boheman	detected/not detected
	para. 4	Insects	-	-		
280.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
	para. 2.2	Insects	-	-		
281.	MR VNIKR No. 96-2014 Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope/	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602	Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope	detected/not detected
		Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		

	para. 2	Wood of coniferous trees		4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
282.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops.	-	0713, 1201, 1209	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
	para. 4	Insects	-	-		
283.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i>	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops	-	0713, 1201, 1209	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
	para. 4	Insects	-	-		
284.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected
	para. 4	Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
285.	STO VNIKR 2.001	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9</p>			<p>1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev.</p>	
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>286.</p>	<p>ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4</p>	<p>Seeds and grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Everts</p>	<p>detected/not detected</p>
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>287.</p>	<p>STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Tuber flea beetle <i>Epitrix tuberis</i> Gentner</p>	<p>detected/not detected</p>
		<p>Insects</p>	<p>-</p>	<p>-</p>		

288.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
289.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
290.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
291.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
292.	MR VNIKR No. 49-2007 Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705,		

	para. 4			070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
293.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
294.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
295.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
296.	MR VNIKR No. 13-2015 Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Sprouts of flower and berry crops	-	0601, 0602	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		

		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
297.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
298.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
299.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
300.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/ para. 4	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		
301.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		

	para. 4.1-4.4	Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
302.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
303.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
304.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		

305.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
306.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
307.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
		Insects	-	-		

	para. 4					
308.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
309.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
310.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
		Insects	-	-		
311.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected
		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		

		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0807		
	para. 3	Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
312.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
	para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
313.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
	para. 8	Insects	-	-		
314.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say)	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected
	para. 4	Insects	-	-		
315.	MR VNIKR No. 14-2015 Methodological recommendations for	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected

	detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Insects	-	-		
316.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
317.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
318.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		

319.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees	-	0602	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)		0604202000, 0604204000		
		Insects	-	-		
320.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops	-	0601, 0602	Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
		Insects	-	-		
321.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants	-	0602	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
		Sunflower seeds	-	1206		
		Insects	-	-		
322.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants	-	0601, 0602	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
		Fresh vegetables	-	0704, 0705, 0709		
		Seed potatoes	-	0701100000		
		Insects	-	-		
323.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius para. 4	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family	-	0602, 0604	Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected
		Insects	-	-		
324.	MR VNIKR No. 14-2016 Methodological recommendations for	Sprouts of vegetable, flower and berry crops	-	0601, 0602		detected/not detected

	detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/ para. 3	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
325.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/ para. 4, 6	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
326.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
327.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> / para. 4	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
328.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i> para. 4	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
329.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		

	wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Fresh cut flowers Insects	- -	0603, 060420 -		
330.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad- nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks Seeds of wheat, barley, rice, chickpea, corn Dried fruits and nuts Fresh avocado fruits Insects	- - - - -	0706, 0910 1209 0813 0804 -	Broad-nosed grain weevil <i>Caulophilus</i> <i>oryzae</i> Gyll.	detected/not detected
331.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Seedlings of coniferous trees, potted plants of coniferous trees (bonsai) Insects	- - -	0604202000, 0604204000 0602 -	Citrus leafroller <i>Choristoneura</i> <i>occidentalis</i> Freeman	detected/not detected
332.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries Insects	- -	0804, 0805, 0806, 0808, 0809, 0810 -	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
333.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai)of ashes of the genus <i>Castanea</i> Insects	- -	0602, 0604 -	Chestnut gall wasp <i>Dryocosmus</i> <i>kuriphilus</i> (Yasumatsu)	detected/not detected
334.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula</i> spp.), potted plants (bonsai) of birch (<i>Betula</i> spp.) Wood of deciduous trees with and without bark (<i>Betula</i> spp.)	- -	0602, 0604 4401	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected

		Insects	-	-		
335.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix</i> spp)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
336.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3, 4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
337.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
338.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
339.	MR VNIKR No. 36-2016 Methodological recommendations for detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Seedlings of coniferous trees (spruce, pine)	-	0602	White-pine weevil <i>Pissodes strobi</i> (Peck)	detected/not detected
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Uncut chopped wood and spruce and pine bark	-	4401		
		Insects	-	-		
340.	MR VNIKR No. 29-2017 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	
341.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
342.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
343.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected
344.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops) Insects	- -	0602 -	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected

345.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
346.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
347.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
348.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
349.	MR VNIKR No. 95-2016 Methodological recommendations for detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected
		Insects	-	-		

350.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
351.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
352.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
353.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		
354.	MR VNIKR No. 35-2017	Sprouts of vegetable, flower and ornamental crops	-	0602		detected/not detected

	Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Fresh cut flowers	-	0603, 060420	Pea leaf miner <i>Liriomyza langei</i> Frick	
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
355.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0703, 0705		
		Insects	-	-		
356.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
357.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham), para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
358.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald), para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
359.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday), para. 5	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		
360.	MR VNIKR No. 144-2017	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips	detected/not detected

	Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch), para. 4-6	Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710	Frankliniella tritici (Fitch)/	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
361.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood, para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
362.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders), para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
363.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton), para. 4- 6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
364.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
365.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura), para.5	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		
366.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		

367.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
368.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
369.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
370.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		
		Insects	-	-		
371.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212,	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected

				1213000000, 1214		
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
372.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
373.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
374.	Insect identification guide by larvae. Mamaev B. M.	Insects	-	-	Larvae of Coleoptera,	detected/not detected

	Moscow: Posveshchenie. 1972 y. 400 p.				Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	
375.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
376.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiodea, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga, Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera,	detected/not detected

					Hymenoptera, Diptera, Siphonaptera orders	
377.	Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.	Insects	-	-	Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families	detected/not detected
378.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
379.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		

		Cut flowers, especially roses	-			
380.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		
		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
381.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
		Other living non-shortened grape cuttings and offshoots	-	0602101000		
382.	MR VNIKR No. 30-2019	Other citrus fruits (propagative material)	-	0602203000		

	<p>Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10</p>	<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602208000</p>	<p><i>Chrysomphalus dictyospermi</i> (Morgan)</p>	<p>detected/not detected</p>
<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602209000</p>				
<p>Roses grafted or not grafted</p>	<p>-</p>	<p>0602400000</p>				
<p>Shortened cuttings and young plants, exception for cacti</p>	<p>-</p>	<p>0602907000</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other flowering plants with buds or flowers, except cacti</p>	<p>-</p>	<p>0602909100</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other living non-shortened cuttings and live plant offshoots</p>	<p>-</p>	<p>0602109000</p>				
<p>Shortened cuttings and young plants for non-protected ground</p>	<p>-</p>	<p>0602904500</p>				
<p>Other live plants (including their roots), cuttings and offshoots</p>	<p>-</p>	<p>0602904600</p>				
<p>Other coniferous and evergreen trees, shrubs and bushes with open root system</p>	<p>-</p>	<p>0602904700</p>				
<p>Other trees, shrubs, and bushes for non-protected ground</p>	<p>-</p>	<p>0602904800</p>				
<p>Plants for non-protected ground, other</p>	<p>-</p>	<p>0602905000</p>				
<p>Trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>060222000</p>				
<p>Grape cuttings, grafted and shortened</p>	<p>-</p>	<p>0602201000</p>				
<p>Other living non-shortened grape cuttings and offshoots</p>	<p>-</p>	<p>0602101000</p>				
<p>383.</p>	<p>MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5</p>	<p>Apples, pears and quinces fresh</p>	<p>-</p>	<p>0808</p>	<p><i>Cidia prunivora</i> (Walsingham)</p>	<p>detected/not detected</p>
<p>Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh</p>	<p>-</p>	<p>0809</p>				
<p>Other live non-shortened cuttings and branches of rosaceous seedlings</p>	<p>-</p>	<p>0602109000</p>				
<p>Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned</p>	<p>-</p>	<p>0602209000</p>				

		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		
384.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209,		

				1210, 1211, 1212, 1213000000, 1214		
		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 2304000000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		

		Works of art, collectibles	-	9705000000		
385.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
386.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann) South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of seed, stone fruits, tropical and subtropical crops	-	0602		
		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810		
		Insects	-	-		
387.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		

388.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER), para. 5	Apples, pears and quinces fresh; apricots, cherries and sweet cherries, peaches (including nectarines), plums, thorns	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		nectarines), plums and thorns, fresh; nectarines), plums, and thorns, fresh;				
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		
389.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
390.	STO VNIKR 6.001 Golden nematodes <i>Globodera rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		

	para.9					
391.	MR VNIKR No. 32-2015 Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe)	Soybean grains and seeds	-	1201	Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
392.	STO VNIKR 6.004 Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen. Detection and identification techniques/	Seed and ware potatoes	-	0701	Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al.	detected/not detected
		Bulbs, bulbous tubers, rootstock of ornamental crops, sprouts of herbaceous crops, seedlings of tree crops, potted plants	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops	-	0703, 0704909000, 0706, 0709992000, 0714		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	False Columbia root-knot nematode <i>Meloidogyne fallax</i> Karssen	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		

	para.8	<p>Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops</p>	-	0703, 0704909000, 0706, 0709992000, 0714		
		Parts of plants and soil	-	-		
393.	<p>MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./</p> <p>para. 4</p>	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206,		

				1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
394.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
395.	MR VNIKR No. 37-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	<p>Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./</p> <p>para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p> <p>Plants, fruits, seeds</p>	<p>-</p> <p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p> <p>-</p>		
<p>396.</p>	<p>MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./</p> <p>para. 3-4</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p> <p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	<p>White horse nettle Solanum elaegnifolium Cav.</p>	<p>detected/not detected</p>

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
397.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
398.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 7	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
399.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000,		

				4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
400.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
401.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 5			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
402.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		

403.	MR VNIKR No. 11-2015 Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected
		Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts	-	0602, 0603, 0604		
		Fresh grapevine	-	0806		
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
	Plants, fruits, seeds	-	-			
404.	MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 4			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
405.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		

406.	MR VNIKR No. 29-2015 Methodological recommendations for detection and identification of ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	<i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
407.	MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Spanish blackjack <i>Bidens bipinnata</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,		

				1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
408.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
409.	MR VNIKR No. 38-2017	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected

	<p>Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./</p> <p>para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
410.	<p>MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./</p> <p>para. 3</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	Pitted morning glory <i>Ipomoea lacunosa</i> L.	detected/not detected

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
411.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
412.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 3	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
413.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
414.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
415.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414; p.25-414, tab. I-L	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201,		

				1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
143204, Russia, Moscow region, Mozhaisky urban district, Otyakovo village; 1 floor of the premises: No. 1, 2, 4						
416.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth)	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
		Insects	-	-		
417.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus <i>Monochamus</i> , spread the in Russian Federation/ para. 4	Seedlings of coniferous trees	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
418.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected

		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		
	para. 8	Insects	-	-		
419.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
420.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
421.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis</i> (Quadraspidotus) <i>perniciosus</i> (Comstok) Detection and identification methods/ para. 8	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (Quadraspidotus) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
422.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis</i> (Quadraspidotus) <i>perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
423.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		

	para. 8	Insects	-	-		
424.	STO VNIKR 2.002 Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810	Peach fruit moth <i>Carposina niponensis</i>	detected/not detected
		Insects	-	-		
425.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
		Insects	-	-		
426.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification techniques/ para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
427.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		

428.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
	para. 4	Insects	-	-		
429.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperda</i> (Smith)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
430.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
431.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm <i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	Insects from the territory of regulated areas	-	-			

		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
432.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
433.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
434.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414,		

				4416000000, 4418			
		Containers made of coniferous wood	-	4415			
	para. 4	Insects	-	-			
435.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agrilus planipennis</i> Fairmaire/	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agrilus planipennis</i> Fairmaire	detected/not detected	
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418			
		Containers made of ash wood	-	4415			
	para. 4	Insects	-	-			
436.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza</i> <i>trifolii</i> (Burg.)	detected/not detected	
		Fresh cut flowers	-	0603, 060420			
		Fresh leaf vegetables	-	0704, 0705, 0709			
	para. 8	Insects	-	-	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected	
	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602				
	Fresh cut flowers	-	0603, 060420				
	Fresh leaf vegetables	-	0704, 0705, 0709				
			Insects from the territory of regulated areas	-	-	Pea leaf miner <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard)	detected/not detected
			Sprouts of vegetable, flower and ornamental crops	-	0601, 0602		
			Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709			
437.	ISPM 27 DP 16 Genus <i>Liriomyza</i> /	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected	
		Fresh cut flowers	-	0603, 060420			

	para. 4	Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
438.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
	para. 4	Insects	-	-		
439.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white-fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus leucoloma</i> Boheman	detected/not detected
	para. 4	Insects	-	-		
440.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
	para. 2.2	Insects	-	-		
441.	MR VNIKR No. 96-2014 Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus alternatus</i> Hope/	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602	Japanese pine sawyer <i>Monochamus alternatus</i> Hope	detected/not detected
		Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		

	para. 2	Wood of coniferous trees		4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
442.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops.	-	0713, 1201, 1209	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
	para. 4	Insects	-	-		
443.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i>	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops	-	0713, 1201, 1209	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
	para. 4	Insects	-	-		
444.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected
	para. 4	Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
445.	STO VNIKR 2.001	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9</p>			<p>1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev.</p>	
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>446.</p>	<p>ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4</p>	<p>Seeds and grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Everts</p>	<p>detected/not detected</p>
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>447.</p>	<p>STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Tuber flea beetle <i>Epitrix tuberis</i> Gentner</p>	<p>detected/not detected</p>
		<p>Insects</p>	<p>-</p>	<p>-</p>		

448.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
449.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
450.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
451.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
452.	MR VNIKR No. 49-2007 Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705,		

	para. 4			070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
453.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
454.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
455.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
456.	MR VNIKR No. 13-2015 Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Sprouts of flower and berry crops	-	0601, 0602	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		

		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
457.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
458.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
459.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
460.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/ para. 4	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		
461.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		

	para. 4.1-4.4	Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
462.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
463.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
464.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		

465.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
466.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
467.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
		Insects	-	-		

	para. 4					
468.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
469.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
470.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
		Insects	-	-		
471.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected
		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		

		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0807		
	para. 3	Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
472.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
	para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
473.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
	para. 8	Insects	-	-		
474.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say)	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected
	para. 4	Insects	-	-		
475.	MR VNIKR No. 14-2015 Methodological recommendations for	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected

	detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Insects	-	-		
476.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
477.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
478.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		

479.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees	-	0602	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)		0604202000, 0604204000		
		Insects	-	-		
480.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops	-	0601, 0602	Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
		Insects	-	-		
481.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants	-	0602	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
		Sunflower seeds	-	1206		
		Insects	-	-		
482.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants	-	0601, 0602	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
		Fresh vegetables	-	0704, 0705, 0709		
		Seed potatoes	-	0701100000		
		Insects	-	-		
483.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius para. 4	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family	-	0602, 0604	Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected
		Insects	-	-		
484.	MR VNIKR No. 14-2016 Methodological recommendations for	Sprouts of vegetable, flower and berry crops	-	0601, 0602		detected/not detected

	detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/ para. 3	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
485.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/ para. 4, 6	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
486.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
487.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> / para. 4	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
488.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i> / para. 4	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
489.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		

	wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Fresh cut flowers Insects	- -	0603, 060420 -		
490.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad- nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks Seeds of wheat, barley, rice, chickpea, corn Dried fruits and nuts Fresh avocado fruits Insects	- - - - -	0706, 0910 1209 0813 0804 -	Broad-nosed grain weevil <i>Caulophilus</i> <i>oryzae</i> Gyll.	detected/not detected
491.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Seedlings of coniferous trees, potted plants of coniferous trees (bonsai) Insects	- - -	0604202000, 0604204000 0602 -	Citrus leafroller <i>Choristoneura</i> <i>occidentalis</i> Freeman	detected/not detected
492.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries Insects	- -	0804, 0805, 0806, 0808, 0809, 0810 -	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
493.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai)of ashes of the genus <i>Castanea</i> Insects	- -	0602, 0604 -	Chestnut gall wasp <i>Dryocosmus</i> <i>kuriphilus</i> (Yasumatsu)	detected/not detected
494.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula</i> spp.), potted plants (bonsai) of birch (<i>Betula</i> spp.) Wood of deciduous trees with and without bark (<i>Betula</i> spp.)	- -	0602, 0604 4401	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected

		Insects	-	-		
495.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix</i> spp)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
496.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3, 4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
497.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
498.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
499.	MR VNIKR No. 36-2016 Methodological recommendations for detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Seedlings of coniferous trees (spruce, pine)	-	0602	White-pine weevil <i>Pissodes strobi</i> (Peck)	detected/not detected
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Uncut chopped wood and spruce and pine bark	-	4401		
		Insects	-	-		
500.	MR VNIKR No. 29-2017 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	
501.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
502.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
503.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected
504.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops) Insects	- -	0602 -	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected

505.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
506.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
507.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
508.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
509.	MR VNIKR No. 95-2016 Methodological recommendations for detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected
		Insects	-	-		

510.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
511.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
512.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
513.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		
514.	MR VNIKR No. 35-2017	Sprouts of vegetable, flower and ornamental crops	-	0602		detected/not detected

	Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Fresh cut flowers	-	0603, 060420	Pea leaf miner <i>Liriomyza langei</i> Frick	
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
515.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0703, 0705		
		Insects	-	-		
516.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
517.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham), para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
518.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald), para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
519.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday), para. 5	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		
520.	MR VNIKR No. 144-2017	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips	detected/not detected

	Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch), п. 4-6	Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710	Frankliniella tritici (Fitch)/	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
521.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood, para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
522.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders), para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
523.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton), para. 4- 6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
524.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
525.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura), para.5	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		
526.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		

527.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
528.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
529.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
530.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		
		Insects	-	-		
531.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212,	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected

				1213000000, 1214		
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
532.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
533.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
534.	Insect identification guide by larvae. Mamaev B. M.	Insects	-	-	Larvae of Coleoptera,	detected/not detected

	Moscow: Posveshchenie. 1972 y. 400 p.				Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	
535.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
536.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiodes, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga, Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera,	detected/not detected

					Hymenoptera, Diptera, Siphonaptera orders	
537.	Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.	Insects	-	-	Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families	detected/not detected
538.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
539.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		

		Cut flowers, especially roses	-			
540.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		
		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
541.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
		Other living non-shortened grape cuttings and offshoots	-	0602101000		
542.	MR VNIKR No. 30-2019	Other citrus fruits (propagative material)	-	0602203000		

	<p>Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10</p>	<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602208000</p>	<p><i>Chrysomphalus dictyospermi</i> (Morgan)</p>	<p>detected/not detected</p>
<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602209000</p>				
<p>Roses grafted or not grafted</p>	<p>-</p>	<p>0602400000</p>				
<p>Shortened cuttings and young plants, exception for cacti</p>	<p>-</p>	<p>0602907000</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other flowering plants with buds or flowers, except cacti</p>	<p>-</p>	<p>0602909100</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other living non-shortened cuttings and live plant offshoots</p>	<p>-</p>	<p>0602109000</p>				
<p>Shortened cuttings and young plants for non-protected ground</p>	<p>-</p>	<p>0602904500</p>				
<p>Other live plants (including their roots), cuttings and offshoots</p>	<p>-</p>	<p>0602904600</p>				
<p>Other coniferous and evergreen trees, shrubs and bushes with open root system</p>	<p>-</p>	<p>0602904700</p>				
<p>Other trees, shrubs, and bushes for non-protected ground</p>	<p>-</p>	<p>0602904800</p>				
<p>Plants for non-protected ground, other</p>	<p>-</p>	<p>0602905000</p>				
<p>Trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>060222000</p>				
<p>Grape cuttings, grafted and shortened</p>	<p>-</p>	<p>0602201000</p>				
<p>Other living non-shortened grape cuttings and offshoots</p>	<p>-</p>	<p>0602101000</p>				
<p>543.</p>	<p>MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5</p>	<p>Apples, pears and quinces fresh</p>	<p>-</p>	<p>0808</p>	<p><i>Cidia prunivora</i> (Walsingham)</p>	<p>detected/not detected</p>
<p>Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh</p>	<p>-</p>	<p>0809</p>				
<p>Other live non-shortened cuttings and branches of rosaceous seedlings</p>	<p>-</p>	<p>0602109000</p>				
<p>Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned</p>	<p>-</p>	<p>0602209000</p>				

		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		
544.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209,		

				1210, 1211, 1212, 1213000000, 1214		
		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 2304000000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		

		Works of art, collectibles	-	9705000000		
545.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
546.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann) South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of seed, stone fruits, tropical and subtropical crops	-	0602		
		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810		
		Insects	-	-		
547.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		

548.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER) para.5	nectarines), plums, and thorns, fresh;	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		
549.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
550.	STO VNIKR 6.001 Golden nematodes <i>Globodera rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/ para.9	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
551.	MR VNIKR No. 32-2015	Soybean grains and seeds	-	1201		

	<p>Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe)</p> <p>para.7</p>	<p>Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops</p>	<p>-</p>	<p>0601, 0602</p>	<p>Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe</p>	<p>detected/not detected</p>
<p>552.</p>	<p>STO VNIKR 6.004 Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karszen. Detection and identification techniques/</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al.</p>	<p>detected/not detected</p>
		<p>Bulbs, corms, rhizomes of ornamental crops, seedlings of herbaceous crops, seedlings of woody crops, potted plants</p>	<p>-</p>	<p>0601, 0602</p>		
		<p>Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops</p>	<p>-</p>	<p>0703, 0704909000, 0706, 0709992000, 0714</p>		
		<p>Parts of plants and soil</p>	<p>-</p>	<p>-</p>		
		<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>False Columbia root-knot nematode <i>Meloidogyne fallax</i> Karszen</p>	<p>detected/not detected</p>
		<p>Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops</p>	<p>-</p>	<p>0601, 0602</p>		
		<p>Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium</p>	<p>-</p>	<p>0703, 0704909000, 0706,</p>		

	para.8	<p>vegetables, carrot (<i>Daucus L.</i>), forage turnip (<i>Brassica rapa L.</i>), red beet (<i>Beta L.</i>), salsify (<i>Tragopogon L.</i>), celeriac (<i>Apium L.</i>), radish (<i>Raphanus sativus L.</i>), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea var. acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta L.</i>), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops</p>		0709992000, 0714		
		Parts of plants and soil	-	-		
553.	<p>MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./</p> <p>para. 4</p>	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404,		

				2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
554.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
555.	MR VNIKR No. 37-2015 Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	para. 3	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
556.	MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./ para. 3-4	Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	- -	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401,	White horse nettle Solanum elaegnifolium Cav.	detected/not detected

				2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
557.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
558.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004,		

	para. 7	processing; wool, floss, fibers of plant; sand, earth, soil.		1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
559.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		

		Plants, fruits, seeds	-	-		
560.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
561.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/ para. 5	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206,		

				1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
562.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
563.	MR VNIKR No. 11-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected

	<p>Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./</p> <p>para. 3</p>	<p>Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts</p> <p>Freash grapevine</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p> <p>Plants, fruits, seeds</p>	<p>-</p> <p>-</p> <p>-</p> <p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0602, 0603, 0604</p> <p>0806</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p> <p>-</p>		
<p>564.</p>	<p>MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/</p> <p>para. 4</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p> <p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,</p>	<p>Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern</p>	<p>detected/not detected</p>

				1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
565.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
566.	MR VNIKR No. 29-2015 Methodological recommendations for detection and identification of	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	<i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle	detected/not detected

	<p>ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
567.	<p>MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4</p>	<p>Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	<p>Spanish blackjack <i>Bidens bipinnata</i> L.</p>	<p>detected/not detected</p>

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
568.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
569.	MR VNIKR No. 38-2017 Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 3	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
570.	MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Pitted morning glory <i>Ipomoea lacunosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000,		

				4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
571.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
572.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 3			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
573.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
574.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
575.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414; p.25-414, tab. I-L	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404,		

				2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
--	--	--	--	---	--	--

142770, Russia, Moscow, Sosenskoye settlement, v. Nikolo-Khovanskoe, building 2004; 1st floor: rooms: No. 1, 2, 3, 4						
576.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth)	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
		Insects	-	-		
577.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus <i>Monochamus</i> , spread the in Russian Federation/ para. 4	Seedlings of coniferous trees	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
578.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected
		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		

	para. 8	Insects	-	-		
579.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
580.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
581.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok) Detection and identification methods/ para. 8	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
582.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
583.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		
		Insects	-	-		

584.	STO VNIKR 2.002 Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810	Peach fruit moth <i>Carposina niponensis</i>	detected/not detected
		Insects	-	-		
585.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
		Insects	-	-		
586.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification techniques/ para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
587.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		

588.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
	para. 4	Insects	-	-		
589.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperda</i> (Smith)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
590.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	para. 3	Insects	-	-		
591.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm <i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	Insects from the territory of regulated areas	-	-			

		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
592.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
593.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
594.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414,		

				4416000000, 4418			
		Containers made of coniferous wood	-	4415			
	para. 4	Insects	-	-			
595.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agrilus planipennis</i> Fairmaire/	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agrilus planipennis</i> Fairmaire	detected/not detected	
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418			
		Containers made of ash wood	-	4415			
	para. 4	Insects	-	-			
596.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza</i> <i>trifolii</i> (Burg.)	detected/not detected	
		Fresh cut flowers	-	0603, 060420			
		Fresh leaf vegetables	-	0704, 0705, 0709			
	Insects	-	-				
	para. 8	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected	
			Fresh cut flowers	-			0603, 060420
			Fresh leaf vegetables	-			0704, 0705, 0709
			Insects from the territory of regulated areas	-			-
	597.	ISPM 27 DP 16 Genus <i>Liriomyza</i> /	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected
			Fresh cut flowers	-	0603, 060420		
			-	0704, 0705, 0709			
Insects			-	-			

	para. 4	Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
598.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
	para. 4	Insects	-	-		
599.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white- fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus</i> <i>leucoloma</i> Boheman	detected/not detected
	para. 4	Insects	-	-		
600.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
	para. 2.2	Insects	-	-		
601.	MR VNIKR No. 96-2014 Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope/	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602	Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope	detected/not detected
		Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		

	para. 2	Wood of coniferous trees		4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
602.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops.	-	0713, 1201, 1209	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
	para. 4	Insects	-	-		
603.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i>	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops	-	0713, 1201, 1209	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
	para. 4	Insects	-	-		
604.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected
	para. 4	Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
605.	STO VNIKR 2.001	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9</p>			<p>1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev.</p>	
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>606.</p>	<p>ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4</p>	<p>Seeds and grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Everts</p>	<p>detected/not detected</p>
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>607.</p>	<p>STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Tuber flea beetle <i>Epitrix tuberis</i> Gentner</p>	<p>detected/not detected</p>
		<p>Insects</p>	<p>-</p>	<p>-</p>		

608.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
609.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
610.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
611.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
612.	MR VNIKR No. 49-2007 Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705,		

	para. 4			070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
613.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
614.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
615.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
616.	MR VNIKR No. 13-2015 Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Sprouts of flower and berry crops	-	0601, 0602	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		

		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
617.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
618.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
619.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
620.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/ para. 4	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		
621.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		

	para. 4.1-4.4	Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
622.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
623.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
624.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		

625.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
626.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
627.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
		Insects	-	-		

	para. 4					
628.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
629.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
630.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
		Insects	-	-		
631.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected
		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		

		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0807		
	para. 3	Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
632.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
	para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
633.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
	para. 8	Insects	-	-		
634.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say)	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected
	para. 4	Insects	-	-		
635.	MR VNIKR No. 14-2015 Methodological recommendations for	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected

	detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Insects	-	-		
636.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
637.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
638.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		

639.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees	-	0602	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)		0604202000, 0604204000		
		Insects	-	-		
640.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops	-	0601, 0602	Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
		Insects	-	-		
641.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants	-	0602	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
		Sunflower seeds	-	1206		
		Insects	-	-		
642.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants	-	0601, 0602	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
		Fresh vegetables	-	0704, 0705, 0709		
		Seed potatoes	-	0701100000		
		Insects	-	-		
643.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius para. 4	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family	-	0602, 0604	Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected
		Insects	-	-		
644.	MR VNIKR No. 14-2016 Methodological recommendations for	Sprouts of vegetable, flower and berry crops	-	0601, 0602		detected/not detected

	detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/ para. 3	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
645.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/ para. 4, 6	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
646.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
647.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> / para. 4	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
648.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i> / para. 4	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
649.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		

	wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Fresh cut flowers Insects	- -	0603, 060420 -		
650.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad- nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks Seeds of wheat, barley, rice, chickpea, corn Dried fruits and nuts Fresh avocado fruits Insects	- - - - -	0706, 0910 1209 0813 0804 -	Broad-nosed grain weevil <i>Caulophilus</i> <i>oryzae</i> Gyll.	detected/not detected
651.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Seedlings of coniferous trees, potted plants of coniferous trees (bonsai) Insects	- - -	0604202000, 0604204000 0602 -	Citrus leafroller <i>Choristoneura</i> <i>occidentalis</i> Freeman	detected/not detected
652.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries Insects	- -	0804, 0805, 0806, 0808, 0809, 0810 -	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
653.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai)of ashes of the genus <i>Castanea</i> Insects	- -	0602, 0604 -	Chestnut gall wasp <i>Dryocosmus</i> <i>kuriphilus</i> (Yasumatsu)	detected/not detected
654.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula</i> spp.), potted plants (bonsai) of birch (<i>Betula</i> spp.) Wood of deciduous trees with and without bark (<i>Betula</i> spp.)	- -	0602, 0604 4401	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected

		Insects	-	-		
655.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix</i> spp)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
656.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3, 4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
657.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
658.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
659.	MR VNIKR No. 36-2016 Methodological recommendations for detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Seedlings of coniferous trees (spruce, pine)	-	0602	White-pine weevil <i>Pissodes strobi</i> (Peck)	detected/not detected
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Uncut chopped wood and spruce and pine bark	-	4401		
		Insects	-	-		
660.	MR VNIKR No. 29-2017 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	
661.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
662.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
663.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected
664.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops) Insects	- -	0602 -	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected

665.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
666.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
667.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
668.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
669.	MR VNIKR No. 95-2016 Methodological recommendations for detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected
		Insects	-	-		

670.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
671.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
672.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
673.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		
674.	MR VNIKR No. 35-2017	Sprouts of vegetable, flower and ornamental crops	-	0602		detected/not detected

	Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Fresh cut flowers	-	0603, 060420	Pea leaf miner <i>Liriomyza langei</i> Frick	
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
675.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0703, 0705		
		Insects	-	-		
676.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
677.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham), para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
678.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald), para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
679.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday), para. 5	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		
680.	MR VNIKR No. 144-2017	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips	detected/not detected

	Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch), para. 4-6	Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710	Frankliniella tritici (Fitch)/	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
681.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood, para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
682.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders), para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
683.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton), para. 4- 6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
684.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
685.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura), para.5	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		
686.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		

687.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
688.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
689.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
690.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		
		Insects	-	-		
691.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212,	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected

				1213000000, 1214		
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
692.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
693.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
694.	Insect identification guide by larvae. Mamaev B. M.	Insects	-	-	Larvae of Coleoptera,	detected/not detected

	Moscow: Posveshchenie. 1972 y. 400 p.				Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	
695.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
696.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiodea, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga, Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera,	detected/not detected

					Hymenoptera, Diptera, Siphonaptera orders	
697.	Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.	Insects	-	-	Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families	detected/not detected
698.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
699.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		

		Cut flowers, especially roses	-			
700.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		
		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
701.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
		Other living non-shortened grape cuttings and offshoots	-	0602101000		
702.	MR VNIKR No. 30-2019	Other citrus fruits (propagative material)	-	0602203000		

	<p>Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10</p>	<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602208000</p>	<p><i>Chrysomphalus dictyospermi</i> (Morgan)</p>	<p>detected/not detected</p>
<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602209000</p>				
<p>Roses grafted or not grafted</p>	<p>-</p>	<p>0602400000</p>				
<p>Shortened cuttings and young plants, exception for cacti</p>	<p>-</p>	<p>0602907000</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other flowering plants with buds or flowers, except cacti</p>	<p>-</p>	<p>0602909100</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other living non-shortened cuttings and live plant offshoots</p>	<p>-</p>	<p>0602109000</p>				
<p>Shortened cuttings and young plants for non-protected ground</p>	<p>-</p>	<p>0602904500</p>				
<p>Other live plants (including their roots), cuttings and offshoots</p>	<p>-</p>	<p>0602904600</p>				
<p>Other coniferous and evergreen trees, shrubs and bushes with open root system</p>	<p>-</p>	<p>0602904700</p>				
<p>Other trees, shrubs, and bushes for non-protected ground</p>	<p>-</p>	<p>0602904800</p>				
<p>Plants for non-protected ground, other</p>	<p>-</p>	<p>0602905000</p>				
<p>Trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>060222000</p>				
<p>Grape cuttings, grafted and shortened</p>	<p>-</p>	<p>0602201000</p>				
<p>Other living non-shortened grape cuttings and offshoots</p>	<p>-</p>	<p>0602101000</p>				
<p>703.</p>	<p>MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5</p>	<p>Apples, pears and quinces fresh</p>	<p>-</p>	<p>0808</p>	<p><i>Cidia prunivora</i> (Walsingham)</p>	<p>detected/not detected</p>
<p>Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh</p>	<p>-</p>	<p>0809</p>				
<p>Other live non-shortened cuttings and branches of rosaceous seedlings</p>	<p>-</p>	<p>0602109000</p>				
<p>Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned</p>	<p>-</p>	<p>0602209000</p>				

		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		
704.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209,		

				1210, 1211, 1212, 1213000000, 1214		
		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 2304000000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		

		Works of art, collectibles	-	9705000000		
705.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
706.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann) South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of seed, stone fruits, tropical and subtropical crops	-	0602		
		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810		
		Insects	-	-		
707.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		

708.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER), para. 5	Apples, pears and quinces fresh; apricots, cherries and sweet cherries, peaches (including nectarines), plums, and thorns, fresh;	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		
709.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
710.	STO VNIKR 6.001 Golden nematodes <i>Globodera rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/ para.9	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		

711.	MR VNIKR No. 32-2015 Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe) para.7	Soybean grains and seeds	-	1201	Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
712.	STO VNIKR 6.004 Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen. Detection and identification techniques/	Seed and ware potatoes	-	0701	Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al.	detected/not detected
		Bulbs, corms, rhizomes of ornamental crops, seedlings of herbaceous crops, seedlings of woody crops, potted plants	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops	-	0703, 0704909000, 0706, 0709992000, 0714		
		Parts of plants and soil	-	-	False Columbia root-knot nematode <i>Meloidogyne fallax</i> Karssen	detected/not detected
		Seed and ware potatoes	-	0701		
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek	-	0703, 0704909000, 0706,		

	para.8	(Allium porrum L.), and other allium vegetables, carrot (Daucus L), forage turnip (Brassica rapa L.), red beet (Beta L), salsify (Tragopogon L.), celeriac (Apium L.), radish (Raphanus sativus L.), rutabaga (Brassica napobrassica), cabbage (Brassica aleracea var. acephata), beet (Beta vulgaris), sugar beet (Beta vulgaris), cassava (Manihot esculenta), arrowroot (Maranta L), salep, artichoke, or canada potato (Helianthus tuberosus), sweet potato (Ipomoea batatas), and other root and tuber crops		0709992000, 0714		
		Parts of plants and soil	-	-		
713.	MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000,		

				1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
714.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
715.	MR VNIKR No. 37-2015 Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	para. 3	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
716.	MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	White horse nettle Solanum elaegnifolium Cav.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401,		

				2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
717.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
718.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004,		

	para. 7	processing; wool, floss, fibers of plant; sand, earth, soil.		1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
719.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		

		Plants, fruits, seeds	-	-		
720.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
721.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/ para. 5	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206,		

				1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
722.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
723.	MR VNIKR No. 11-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected

	<p>Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./</p> <p>para. 3</p>	<p>Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts</p> <p>Freash grapevine</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p> <p>Plants, fruits, seeds</p>	<p>-</p> <p>-</p> <p>-</p> <p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0602, 0603, 0604</p> <p>0806</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p> <p>-</p>		
<p>724.</p>	<p>MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/</p> <p>para. 4</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p> <p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,</p>	<p>Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern</p>	<p>detected/not detected</p>

				1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
725.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
726.	MR VNIKR No. 29-2015 Methodological recommendations for detection and identification of	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	<i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle	detected/not detected

	<p>ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
727.	<p>MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4</p>	<p>Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	<p>Spanish blackjack <i>Bidens bipinnata</i> L.</p>	<p>detected/not detected</p>

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
728.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
729.	MR VNIKR No. 38-2017 Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 3	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
730.	MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Pitted morning glory <i>Ipomoea lacunosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000,		

				4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
731.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
732.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 3			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
733.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
734.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
735.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414; p.25-414, tab. I-L	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404,		

				2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
140412, Russia, Moscow region, Kolomna, prospekt Avtomobilistov, 8A; 1 floor rooms No. 1, 2, 3						
736.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth)	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
		Insects	-	-		
737.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus <i>Monochamus</i> , spread the in Russian Federation/ para. 4	Seedlings of coniferous trees	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
738.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/ para. 8	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected
		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		
		Insects	-	-		

739.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
740.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
741.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok) Detection and identification methods/ para. 8	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
742.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
743.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		
		Insects	-	-		
744.	STO VNIKR 2.002	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		detected/not detected

	Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Insects	-	-	Peach fruit moth <i>Carposina niponensis</i>	
745.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
		Insects	-	-		
746.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification techniques/ para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
747.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		

748.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
	para. 4	Insects	-	-		
749.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperga</i> (Smith)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	para. 3	Fresh cut flowers	-	0603, 060420		
	Insects	-	-			
750.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperga</i> (Stoll)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperga</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	para. 3	Fresh cut flowers	-	0603, 060420		
	Insects	-	-			
751.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm <i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	Insects from the territory of regulated areas	-	-			

		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
752.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
753.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		Insects	-	-		
754.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414,		

				4416000000, 4418		
		Containers made of coniferous wood	-	4415		
	para. 4	Insects	-	-		
755.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agrilus planipennis</i> Fairmaire/ para. 4	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agrilus planipennis</i> Fairmaire	detected/not detected
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of ash wood	-	4415		
	Insects	-	-			
756.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/ para. 8	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza</i> <i>trifolii</i> (Burg.)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected
		Sprouts of vegetable, flower and ornamental crops	-	0601, 0602		
		Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects from the territory of regulated areas	-	-	Pea leaf miner <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard)	detected/not detected
		Sprouts of vegetable, flower and ornamental crops	-	0601, 0602		
		Fresh cut flowers	-	0603, 060420		
Fresh leaf vegetables	-	0704, 0705, 0709				
757.	ISPM 27 DP 16 Genus <i>Liriomyza</i> / para. 8	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected
		Fresh cut flowers	-	0603, 060420		

	para. 4	Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
758.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
	para. 4	Insects	-	-		
759.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white- fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus</i> <i>leucoloma</i> Boheman	detected/not detected
	para. 4	Insects	-	-		
760.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
	para. 2.2	Insects	-	-		
761.	MR VNIKR No. 96-2014 Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope/	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602	Japanese pine sawyer <i>Monochamus</i> <i>alternatus</i> Hope	detected/not detected
		Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		

	para. 2	Wood of coniferous trees		4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
762.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops.	-	0713, 1201, 1209	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
	para. 4	Insects	-	-		
763.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i>	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops	-	0713, 1201, 1209	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
	para. 4	Insects	-	-		
764.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected
	para. 4	Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
765.	STO VNIKR 2.001	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9</p>			<p>1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev.</p>	
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>766.</p>	<p>ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4</p>	<p>Seeds and grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Everts</p>	<p>detected/not detected</p>
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>767.</p>	<p>STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Tuber flea beetle <i>Epitrix tuberis</i> Gentner</p>	<p>detected/not detected</p>
		<p>Insects</p>	<p>-</p>	<p>-</p>		

768.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
769.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
770.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
771.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
772.	MR VNIKR No. 49-2007 Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705,		

	para. 4			070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
773.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
774.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
775.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
776.	MR VNIKR No. 13-2015 Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Sprouts of flower and berry crops	-	0601, 0602	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		

		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
777.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
778.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
779.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
780.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/ para. 4	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		
781.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		

	para. 4.1-4.4	Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
782.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
783.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
784.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		

785.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
786.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
787.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
		Insects	-	-		

	para. 4					
788.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
789.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
790.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
		Insects	-	-		
791.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected
		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		

		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0807		
	para. 3	Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
792.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
	para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
793.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
	para. 8	Insects	-	-		
794.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say)	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected
	para. 4	Insects	-	-		
795.	MR VNIKR No. 14-2015 Methodological recommendations for	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected

	detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Insects	-	-		
796.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
797.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
798.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		

799.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees	-	0602	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)		0604202000, 0604204000		
		Insects	-	-		
800.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops	-	0601, 0602	Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
		Insects	-	-		
801.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants	-	0602	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
		Sunflower seeds	-	1206		
		Insects	-	-		
802.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants	-	0601, 0602	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
		Fresh vegetables	-	0704, 0705, 0709		
		Seed potatoes	-	0701100000		
		Insects	-	-		
803.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius para. 4	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family	-	0602, 0604	Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected
		Insects	-	-		
804.	MR VNIKR No. 14-2016 Methodological recommendations for	Sprouts of vegetable, flower and berry crops	-	0601, 0602		detected/not detected

	detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/ para. 3	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
805.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/ para. 4, 6	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
806.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
807.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> / para. 4	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
808.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i> / para. 4	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
809.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		

	wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Fresh cut flowers Insects	- -	0603, 060420 -		
810.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad- nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks Seeds of wheat, barley, rice, chickpea, corn Dried fruits and nuts Fresh avocado fruits Insects	- - - - -	0706, 0910 1209 0813 0804 -	Broad-nosed grain weevil <i>Caulophilus</i> <i>oryzae</i> Gyll.	detected/not detected
811.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Seedlings of coniferous trees, potted plants of coniferous trees (bonsai) Insects	- - -	0604202000, 0604204000 0602 -	Citrus leafroller <i>Choristoneura</i> <i>occidentalis</i> Freeman	detected/not detected
812.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries Insects	- -	0804, 0805, 0806, 0808, 0809, 0810 -	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
813.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai)of ashes of the genus <i>Castanea</i> Insects	- -	0602, 0604 -	Chestnut gall wasp <i>Dryocosmus</i> <i>kuriphilus</i> (Yasumatsu)	detected/not detected
814.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula</i> spp.), potted plants (bonsai) of birch (<i>Betula</i> spp.) Wood of deciduous trees with and without bark (<i>Betula</i> spp.)	- -	0602, 0604 4401	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected

		Insects	-	-		
815.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix</i> spp)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
816.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3, 4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
817.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
818.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
819.	MR VNIKR No. 36-2016 Methodological recommendations for detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Seedlings of coniferous trees (spruce, pine)	-	0602	White-pine weevil <i>Pissodes strobi</i> (Peck)	detected/not detected
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Uncut chopped wood and spruce and pine bark	-	4401		
		Insects	-	-		
820.	MR VNIKR No. 29-2017 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	
821.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
822.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
823.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected
824.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops) Insects	- -	0602 -	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected

825.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
826.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
827.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
828.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
829.	MR VNIKR No. 95-2016 Methodological recommendations for detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected
		Insects	-	-		

830.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
831.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
832.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
833.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		
834.	MR VNIKR No. 35-2017	Sprouts of vegetable, flower and ornamental crops	-	0602		detected/not detected

	Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Fresh cut flowers	-	0603, 060420	Pea leaf miner <i>Liriomyza langei</i> Frick	
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
835.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0703, 0705		
		Insects	-	-		
836.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
837.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham), para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
838.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald), para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
839.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday), para. 5	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		
840.	MR VNIKR No. 144-2017	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips	detected/not detected

	Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch), para. 4-6	Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710	Frankliniella tritici (Fitch)/	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
841.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood, para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
842.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders), para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
843.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton), para. 4- 6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
844.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
845.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura), para.5	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		
846.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		

847.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
848.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
849.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
850.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		
		Insects	-	-		
851.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212,	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected

				1213000000, 1214		
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
852.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
853.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
854.	Insect identification guide by larvae. Mamaev B. M.	Insects	-	-	Larvae of Coleoptera,	detected/not detected

	Moscow: Posveshchenie. 1972 y. 400 p.				Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	
855.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
856.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiodea, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga, Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera,	detected/not detected

					Hymenoptera, Diptera, Siphonaptera orders	
857.	Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.	Insects	-	-	Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families	detected/not detected
858.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
859.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		

		Cut flowers, especially roses	-			
860.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		
		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
861.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
		Other living non-shortened grape cuttings and offshoots	-	0602101000		
862.	MR VNIKR No. 30-2019	Other citrus fruits (propagative material)	-	0602203000		

	Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10	Other trees, shrubs and bushes, grafted and not grafted	-	0602208000	<i>Chrysomphalus dictyospermi</i> (Morgan)	detected/not detected
		Other trees, shrubs and bushes, grafted and not grafted	-	0602209000		
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Other plants for protected ground	-	0602909900		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Other live plants (including their roots), cuttings and offshoots	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904800		
		Plants for non-protected ground, other	-	0602905000		
		Trees, shrubs and bushes, grafted and not grafted	-	060222000		
		Grape cuttings, grafted and shortened	-	0602201000		
Other living non-shortened grape cuttings and offshoots	-	0602101000				
863.	MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5	Apples, pears and quinces fresh	-	0808	<i>Cidia prunivora</i> (Walsingham)	detected/not detected
		Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh	-	0809		
		Other live non-shortened cuttings and branches of rosaceous seedlings	-	0602109000		
		Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned	-	0602209000		

		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		
864.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209,		

				1210, 1211, 1212, 1213000000, 1214		
		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 2304000000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		

		Works of art, collectibles	-	9705000000		
865.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
866.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann) South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of seed, stone fruits, tropical and subtropical crops	-	0602		
		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810		
		Insects	-	-		
867.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		

868.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER), para. 5	Apples, pears and quinces fresh; apricots, cherries and sweet cherries, peaches (including nectarines), plums, and thorns, fresh;	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		
869.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
870.	STO VNIKR 6.001 Golden nematodes <i>Globodera rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		

	para.9					
871.	MR VNIKR No. 32-2015 Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe)	Soybean grains and seeds	-	1201	Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		para.7 Parts of plants and soil	-	-		
872.	STO VNIKR 6.004 Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen. Detection and identification techniques/	Seed and ware potatoes	-	0701	Columbia root-knot nematode <i>Meloidogyne</i> <i>chitwoodi</i> Golden et al.	detected/not detected
		Bulbs, corms, rhizomes of ornamental crops, seedlings of herbaceous crops, seedlings of woody crops, potted plants	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops	-	0703, 0704909000, 0706, 0709992000, 0714		
		para.7 Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	False Columbia root- knot nematode <i>Meloidogyne fallax</i> Karssen	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic	-	0703, 0704909000,		

	para.8	<p>(Allium sativum L.), common leek (Allium porrum L.), and other allium vegetables, carrot (Daucus L), forage turnip (Brassica rapa L.), red beet (Beta L), salsify (Tragopogon L.), celeriac (Apium L.), radish (Raphanus sativus L.), rutabaga (Brassica napobrassica), cabbage (Brassica aleracea var. acephata), beet (Beta vulgaris), sugar beet (Beta vulgaris), cassava (Manihot esculenta), arrowroot (Maranta L), salep, artichoke, or canada potato (Helianthus tuberosus), sweet potato (Ipomoea batatas), and other root and tuber crops</p>		0706, 0709992000, 0714		
		Parts of plants and soil	-	-		
873.	<p>MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./</p> <p>para. 4</p>	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,		

				1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
874.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
875.	MR VNIKR No. 37-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	<p>Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./</p> <p>para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p> <p>Plants, fruits, seeds</p>	<p>-</p> <p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p> <p>-</p>		
<p>876.</p>	<p>MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./</p> <p>para. 3-4</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p> <p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	<p>White horse nettle <i>Solanum elaeagnifolium</i> Cav.</p>	<p>detected/not detected</p>

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
877.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
878.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 7	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
879.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000,		

				4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
880.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
881.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 5			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
882.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		

883.	MR VNIKR No. 11-2015 Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected
		Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts	-	0602, 0603, 0604		
		Fresh grapevine	-	0806		
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
	Plants, fruits, seeds	-	-			
884.	MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 4			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
885.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		

886.	MR VNIKR No. 29-2015 Methodological recommendations for detection and identification of ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	<i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
887.	MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Spanish blackjack <i>Bidens bipinnata</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,		

				1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
888.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
889.	MR VNIKR No. 38-2017	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected

	<p>Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./</p> <p>para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p>	<p>1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
<p>890.</p>	<p>MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./</p> <p>para. 3</p>	<p>Seeds (seed material) of plants</p> <p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p> <p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	<p>Pitted morning glory <i>Ipomoea lacunosa</i> L.</p>	<p>detected/not detected</p>

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
891.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
892.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		

	para. 3	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
893.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
894.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
895.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414; p.25-414, tab. I-L	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201,		

				1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
140412, Russia, Moscow region, Krasnoznamensk, ul. Beryozovaya alleya, 1/2; 2 floor of the premises: No. 1, 2, 3;						
896.	MR VNIKR No. 09-2014 Methodological recommendations for detection and identification of American white moth <i>Hyphantria cunea</i> Drury/ para. 4	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth)	-	0602	American white moth <i>Hyphantria cunea</i> Drury	detected/not detected
		Insects	-	-		
897.	MR VNIKR No. 10-2014 Methodological recommendations for detection and identification of white mottled sawyer of the genus <i>Monochamus</i> , spread the in Russian Federation/ para. 4	Seedlings of coniferous trees	-	0602	White mottled sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
898.	STO VNIKR 2.006 Oriental fruit moth <i>Grapholita molesta</i> (Busck) Detection and identification technique/	Seedlings and cuttings of various rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster) in vegetative state	-	0602	Oriental fruit moth <i>Grapholita molesta</i> (Busck)	detected/not detected

		Fruits of rosaceous crops (peach, apricot, plum, quince, apple tree, pear, medlar, cotoneaster)	-	0806, 0808, 0809, 0810		
	para. 8	Insects	-	-		
899.	MR VNIKR No. 20-2015 Methodological recommendations for detection and identification of Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij/ para. 1.4.1, 1.4.2	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Asian gypsy moth <i>Lymantria dispar asiatica</i> Vnukovskij	detected/not detected
		Insects	-	-		
900.	MR VNIKR No. 21-2015 Methodological recommendations for detection and identification of fuchsia gall mite <i>Aculops fuchsia</i> Keifer/ para. 4	Propagative material and potted plants of the genus <i>Fuchsia</i>	-	0602	Fuchsia gall mite <i>Aculops fuchsia</i> Keifer	detected/not detected
		Arthropods	-	-		
901.	STO VNIKR 2.004 Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok) Detection and identification methods/ para. 8	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
902.	GOST 33455 Plant Quarantine. Detection and identification techniques of Californian scale/ para. 5	Seedlings and cuttings of different tree crops (fruit and ornamental trees)	-	0602	Californian scale <i>Diaspidiotis (Quadraspidotus) perniciosus</i> (Comstok)	detected/not detected
		Fruits of rosaceous crops	-	0806, 0808, 0809, 0810		
		Insects	-	-		
903.	STO VNIKR 2.020 Potato moth <i>Phthorimaea operculella</i> (Zell.) Detection and identification techniques/	Seed and ware potatoes	-	0701	Potato moth <i>Phthorimaea operculella</i> (Zell.)	detected/not detected
		Sprouts of nightshade crops	-	0602		

	para. 8	Insects	-	-		
904.	STO VNIKR 2.002 Peach fruit moth <i>Carposina niponensis</i> . Detection and identification techniques/ para. 9	Fruits of rosaceous crops	-	0806, 0808, 0809, 0810	Peach fruit moth <i>Carposina niponensis</i>	detected/not detected
	Insects	-	-			
905.	MR VNIKR No. 27-2014 Methodological recommendations for detection and identification of larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv./ para. 4	Seedlings of woody coniferous trees of <i>Larix</i> (larch), <i>Abies</i> (fir), <i>Pinus</i> (pine), <i>Picea</i> (spruce) and <i>Tsuga</i> (hemlock) genera.	-	0602	Larch caterpillar <i>Dendrolimus sibiricus</i> Tshetv.	detected/not detected
	Insects	-	-			
906.	STO VNIKR 2.030 Cassava whitefly <i>Bemisia tabaci</i> Genn. Detection and identification techniques/ para. 7	Sprouts of vegetable, flower and berry crops, potted plants	-	0601, 0602	Cassava whitefly <i>Bemisia tabaci</i> Genn.	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
907.	MR VNIKR No. 41-2014 Methodological recommendations for detection and identification of grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch)/ para. 5	Grapevine leaves, seedlings, grafts, and root layers	-	0602101000, 0602201000	Grapevine leaf louse <i>Viteus vitifoliae</i> (Fitch.)	detected/not detected
		Insects	-	-		

908.	MR VNIKR No. 30-2012 Methodological recommendations for detection and identification of Japanese long scale <i>Lopholeucaspis japonica</i> Cock./	Seedlings of various woody deciduous crops (lemon, grapefruit, mandarin, orange, calamondin orange, pear, apple, fig, persimmon, cherry, quince, lilac, rose, maple, birch, broom, camellia, Apollo laurel, magnolia, trifoliolate orange, tea, cherry laurel, etc.).), as well as potted plants	-	0602	Japanese long scale <i>Lopholeucaspis japonica</i> Cock.	detected/not detected
	para. 4	Insects	-	-		
909.	MR VNIKR No. 05-2015 Methodological recommendations for detection and identification of fall armyworm <i>Spodoptera frugiperda</i> (Smith)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Fall armyworm <i>Spodoptera frugiperda</i> (Smith)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	para. 3	Fresh cut flowers	-	0603, 060420		
	Insects	-	-			
910.	MR VNIKR No. 70-2015 Methodological recommendations for detection and identification of semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Semitropical armyworm <i>Spodoptera frugiperda</i> (Stoll)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	para. 3	Fresh cut flowers	-	0603, 060420		
	Insects	-	-			
911.	STO VNIKR 2.003 Cluster caterpillar <i>Spodoptera litura</i> (Fabricius) and cotton leafworm <i>Spodoptera littoralis</i> (Boisduval) Detection and identification techniques/	Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cluster caterpillar <i>Spodoptera litura</i> (Fabricius)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
	Fresh cut flowers	-	0603, 060420			
	Insects from the territory of regulated areas	-	-			

		Sprouts of vegetable (cruciferous and solanaceous), flower and berry crops	-	0601, 0602	Cotton leafworm <i>Spodoptera littoralis</i> (Boisduval)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
	para. 8	Insects	-	-		
912.	MR VNIKR No. 15-2015 Methodological recommendations for detection and identification of black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0601, 0602	Black and white longhorn beetle <i>Anoplophora chinensis</i> (Förster)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		para. 4	Insects	-		
913.	STO VNIKR 2.005 Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky) Detection and identification methods/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	Asian long-horned beetle <i>Anoplophora glabripennis</i> (Motschulsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418		
		Containers made of coniferous wood	-	4415		
		para. 5	Insects	-		
914.	MR VNIKR No. 54-2015 Methodological recommendations for detection and identification of city longhorn beetle <i>Aeolesthes sarta</i> (Solsky)/	Seedlings of deciduous fruit and ornamental crops (large-sized trees), potted plants (bonsai of deciduous crops)	-	0602	City longhorn beetle <i>Aeolesthes sarta</i> (Solsky)	detected/not detected
		Wood of deciduous trees, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414,		

				4416000000, 4418			
		Containers made of coniferous wood	-	4415			
	para. 4	Insects	-	-			
915.	MR VNIKR No. 77-2013 Methodological recommendations for detection and identification of emerald ash borer <i>Agrilus planipennis</i> Fairmaire/	Seedlings of ash (large-sized trees), potted plants (bonsai of ash)	-	0602	Emerald ash borer <i>Agrilus planipennis</i> Fairmaire	detected/not detected	
		Ash wood, with and without bark	-	4401, 4403, 4404, 4406, 4407, 4409, 4414, 4416000000, 4418			
		Containers made of ash wood	-	4415			
	para. 4	Insects	-	-			
916.	STO VNIKR 2.031 American serpentine leaf miner <i>Liriomyza trifolii</i> (Burg.), pea leaf miner <i>Liriomyza huidobrensis</i> (Blanchard), and cabbage leaf miner <i>Liriomyza sativae</i> Blanchard. Detection and identification techniques/	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	American serpentine leaf miner <i>Liriomyza</i> <i>trifolii</i> (Burg.)	detected/not detected	
		Fresh cut flowers	-	0603, 060420			
		Fresh leaf vegetables	-	0704, 0705, 0709			
	para. 8	Insects	-	-	Cabbage leaf miner <i>Liriomyza sativae</i> (Blanchard)	detected/not detected	
	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602				
	Fresh cut flowers	-	0603, 060420				
	Fresh leaf vegetables	-	0704, 0705, 0709				
			Insects from the territory of regulated areas	-	-	Pea leaf miner <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard)	detected/not detected
			Sprouts of vegetable, flower and ornamental crops	-	0601, 0602		
			Fresh cut flowers	-	0603, 060420		
		Fresh leaf vegetables	-	0704, 0705, 0709			
917.	ISPM 27 DP 16 Genus <i>Liriomyza</i> /	Sprouts of vegetable, flower and ornamental crops	-	0601, 0602	Genus <i>Liriomyza</i>	detected/not detected	
		Fresh cut flowers	-	0603, 060420			

	para. 4	Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
918.	MR VNIKR No. 50-2014 Methodological recommendations for detection and identification of Andean potato weevils of the genus <i>Premnotrypes</i>	Seed and ware potatoes	-	0701	Andean potato weevils of the genus <i>Premnotrypes</i>	detected/not detected
	para. 4	Insects	-	-		
919.	MR VNIKR No. 61-2014 Methodological recommendations for detection and identification of white-fringed beetle <i>Naupactus leucoloma</i> Boheman/	Bulb onions and other allium vegetables, cabbage, carrots, turnips, beetroot, radish and other similar edible root vegetables	-	0703, 0704, 0706	White-fringed beetle <i>Naupactus leucoloma</i> Boheman	detected/not detected
	para. 4	Insects	-	-		
920.	MR VNIKR No. 95-2014 Methodological recommendations for detection and identification of white spotted sawyer of the genus <i>Monochamus</i>	Seedlings of coniferous trees	-	0602	White spotted sawyer of the genus <i>Monochamus</i>	detected/not detected
		pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
	para. 2.2	Insects	-	-		
921.	MR VNIKR No. 96-2014 Methodological recommendations for detection and identification of Japanese pine sawyer <i>Monochamus alternatus</i> Hope/	Seedlings of pine (<i>Pinus</i> spp.), spruce (<i>Picea</i> spp.), fir (<i>Abies</i> spp.)	-	0602	Japanese pine sawyer <i>Monochamus alternatus</i> Hope	detected/not detected
		Pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		

	para. 2	Wood of coniferous trees		4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
922.	MR VNIKR No. 26-2015 Methodological recommendations for detection and identification of Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)/	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops.	-	0713, 1201, 1209	Mexican bean weevil <i>Zabrotes subfasciatus</i> (Boheman)	detected/not detected
	para. 4	Insects	-	-		
923.	MR VNIKR No. 59-2014 Methodological recommendations for detection and identification of bruchids of the genus <i>Callosobruchus</i>	Seeds and grains of leguminous (Fabaceae) crops: soya, Chickasano pea, cowpea, beans, horse beans, English and pigeon pea, caper spurge, lentil, honey locust, dolichos and other leguminous crops	-	0713, 1201, 1209	Bruchid of the genus <i>Callosobruchus</i>	detected/not detected
	para. 4	Insects	-	-		
924.	MR VNIKR No. 72-2015 Methodological recommendations for detection and identification of auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)/	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000	Auger beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected/not detected
	para. 4	Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Dried fruits and nuts	-	0813		
		Insects	-	-		
925.	STO VNIKR 2.001	Seeds and grains of cereal, leguminous, oilseed crops	-	1001, 1002, 1003, 1004, 1005, 1006,		detected/not detected

	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev. Detection and identification techniques/ para. 9</p>			<p>1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Ev.</p>	
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>926.</p>	<p>ISPM 27 DP 3 <i>Trogoderma granarium</i> Everts/ para. 4</p>	<p>Seeds and grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 12030000, 120400, 1205, 120600, 1207, 1208, 1209, 1210, 1211, 1213000000</p>	<p>Kharpa beetle <i>Trogoderma granarium</i> Everts</p>	<p>detected/not detected</p>
		<p>Seeds of vegetable, forest, ornamental, and crops</p>	<p>-</p>	<p>1209, 0801, 0802, 0909</p>		
		<p>Processing products of grains of cereal, leguminous, oilseed crops</p>	<p>-</p>	<p>1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109</p>		
		<p>Dried fruits and nuts</p>	<p>-</p>	<p>0813</p>		
		<p>Insects</p>	<p>-</p>	<p>-</p>		
<p>927.</p>	<p>STO VNIKR 2.033 Tuber flea beetle <i>Epitrix tuberis</i> Gentner Detection and identification technique para. 8</p>	<p>Seed and ware potatoes</p>	<p>-</p>	<p>0701</p>	<p>Tuber flea beetle <i>Epitrix tuberis</i> Gentner</p>	<p>detected/not detected</p>
		<p>Insects</p>	<p>-</p>	<p>-</p>		

928.	STO VNIKR 2.026 Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte Detection and identification technique/ para. 8	Corn plants	-	0602	Colorado corn rootworm <i>Diabrotica virgifera</i> Le Conte	detected/not detected
		Insects	-	-		
929.	MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence/ para. 4	Corn plants	-	0602	Northern corn rootworm <i>Diabrotica barberi</i> Smith & Lawrence	detected/not detected
		Insects	-	-		
930.	MR VNIKR No. 17-2014 MR VNIKR No. 02-2015 Methodological recommendations for detection and identification of plum curculio <i>Conotrachelus nenuphar</i> (Herbst)/ para. 4.1-4.6	Fruits of plum, peach, cherry	-	0809	Plum curculio <i>Conotrachelus nenuphar</i> (Herbst)	detected/not detected
		Propagative material of plum, peach, cherry	-	0602		
		Insects	-	-		
931.	STO VNIKR 2.036 Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.) Detection and identification techniques/ para. 8	Fruits of stone and pome crops	-	0808, 0809	Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	detected/not detected
		Fruits of citrus crops	-	0805		
		Pomegranate, guava, mango, prickly pear and other tropical fruits	-	080450000, 08109		
		Insects	-	-		
932.	MR VNIKR No. 49-2007 Methodological recommendations for detection of thrips in regulated articles and morphological identification of western flower thrips <i>Frankliniella occidentalis</i> (Perg.) and oriental thrips <i>Thrips palmi</i> Karny/	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Insects	-	-		
		Sprouts of vegetable, flower and berry crops	-	0601, 0602	<i>Frankliniella occidentalis</i> (Perg.)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705,		

	para. 4			070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Potted plants	-	0602		
		Insects	-	-		
933.	ISPM 27 DP 1 <i>Thrips palmi</i> Karny/ para. 4	Sprouts of vegetable, flower and berry crops	-	0601, 0602	Oriental thrips <i>Thrips palmi</i> Karny	detected/not detected
		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
934.	MR VNIKR No. 68-2015 Methodological recommendations for detection and identification of impatiens thrips <i>Echinothrips americanus</i> Morgan/ para. 4	Sprouts of vegetable, flower, berry crops, and potted plants	-	0601, 0602	Impatiens thrips <i>Echinothrips americanus</i> Morgan	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
935.	MR VNIKR No. 68-2013 Methodological recommendations for detection and identification of cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)/ para. 4	Sprouts of flower crops and potted plants	-	0601, 0602	Cotton bud thrips <i>Frankliniella schultzei</i> (Trybom)	detected/not detected
		Fresh vegetables (salads and green crops)	-	0704, 0705, 0709		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
936.	MR VNIKR No. 13-2015 Methodological recommendations for detection and identification of Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)/ para. 4, 6	Sprouts of flower and berry crops	-	0601, 0602	Cuban flower thrips <i>Frankliniella insularis</i> (Franklin)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, , 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		

		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
937.	STO VNIKR 2.024 Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti). Detection and identification techniques/ para. 8	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Insects	-	-		
938.	GOST 33456 Plant Quarantine. Detection and identification techniques of Japanese fruit scale/ para. 5	Propagative material of fruit and ornamental woody plants	-	0602	Japanese fruit scale <i>Pseudaulacaspis pentagona</i> (Targioni-Tozzetti)	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
939.	MR VNIKR No. 33-2012 Methodological recommendations for detection and identification of South American tomato moth <i>Tuta absoluta</i> (Meyrick)/ para. 3	Sprouts of tomato, aubergine, pepper	-	0602	South American tomato moth <i>Tuta absoluta</i> (Meyrick)	detected/not detected
		Tomato fruits	-	070200000		
		Insects	-	-		
940.	MR VNIKR No. 46-2013 Methodological recommendations for detection and identification of apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)/ para. 4	Fruits of stone crops (plum, peach, apricot) and seeds (apple tree)	-	0809	Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	detected/not detected
		Berries (chokeberry tree, hawthorn, cotoneaster, snowberry)	-	081090		
		Insects	-	-		
941.	MR VNIKR No. 03-2015 Methodological recommendations for detection and identification of coffin fly <i>Megaselia scalaris</i> (Loew)/	Collections and collectibles in zoology, botany	-	9705000000	Coffin fly <i>Megaselia scalaris</i> (Loew)	detected/not detected
		Live mites, nematodes and insects for research	-	010641000, 010649000		

	para. 4.1-4.4	Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Vegetables, root tubers, mushrooms, fruits and nuts	-	0701, 0702, 0703.0704, 0705, 0706, 0707, 0708, 0709, 0710, 0711, 0712.0713, 0714, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Insects	-	-		
942.	STO VNIKR 2.032 Japanese beetle <i>Popillia japonica</i> (Newman) Detection and identification techniques/ para. 8	Seedlings of fruit, ornamental and forest trees, sprouts of different crops	-	0601, 0602	Japanese beetle <i>Popillia japonica</i> (Newman)	detected/not detected
		Insects	-	-		
943.	STO VNIKR 2.034 North-American bark beetles of the genus <i>Dendroctonus</i> . Detection and identification techniques/ para. 8	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	North-American bark beetles of the genus <i>Dendroctonus</i>	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
944.	STO VNIKR 2.038 Potato flea beetle <i>Epitrix cucumeris</i> (Harris). Detection and identification techniques/ para. 8	Seed and ware potatoes	-	0701	Potato flea beetle <i>Epitrix cucumeris</i> (Harris)	detected/not detected
		Insects	-	-		

945.	MR VNIKR No. 14-2014 Methodological recommendations for detection and identification of European spruce beetle <i>Dendroctonus micans</i> Kugel./ para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0602, 0604202000, 0604204000	European spruce beetle <i>Dendroctonus micans</i> Kugel.	detected/not detected
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
946.	MR VNIKR No. 15-2014 Methodological recommendations for detection and identification of eastern pine engraver <i>Ips pini</i> (Say) para. 4	Seedlings of woody coniferous trees of <i>Pinus</i> (pine), <i>Picea</i> (spruce) genera	-	0602	Eastern pine engraver <i>Ips pini</i> (Say)	detected/not detected
		Wood of coniferous trees (pine, spruce)	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets, made of wood of coniferous trees (spruce, pine)	-	4415		
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		
947.	MR VNIKR No. 16-2014 Development of methodological recommendations for detection and identification of California pine engraver <i>Ips plastographus</i> (Le Conte)	Plants and parts of woody coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	0602, 0604	California pine engraver <i>Ips plastographus</i> (Le Conte)	detected/not detected
		Wood of coniferous plants of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Wooden boxes, pallets made of coniferous trees of the genus <i>Pinus</i> (<i>Pinus contorta</i> , <i>Pinus ponderosa</i> , <i>Pinus muricata</i> , <i>Pinus radiata</i>) and <i>Picea sitchensis</i>	-	4415		
		Insects	-	-		

	para. 4					
948.	MR VNIKR No. 9-2017 Methodological recommendations for detection and identification of hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Hibiscus mealybug <i>Maconellicoccus hirsutus</i> (Green)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
949.	MR VNIKR No. 11-2013 Methodological recommendations for detection and identification of Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)/	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), sprouts of vegetable crops, potted plants	-	0602	Comstock mealybug <i>Pseudococcus comstockii</i> (Kuwana)	detected/not detected
		Fruits of seed and stone crops, grapevine, pomegranates.	-	0806, 0809, 0808, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
950.	MR VNIKR No. 45-2013 Methodological recommendations for detection and identification of blueberry maggot <i>Rhagoletis mendax</i> Curran/	Seedlings of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0602	Blueberry maggot <i>Rhagoletis mendax</i> Curran	detected/not detected
		Berries of plants of the Ericaceae family (<i>Vaccinium</i> , <i>Gaylussacia</i> , etc.).	-	0810		
		Insects	-	-		
951.	MR VNIKR No. 39-2014 Methodological recommendations for detection and identification of American bollworm <i>Helicoverpa zea</i> (Boddie)	Corn plants	-	0602	American bollworm <i>Helicoverpa zea</i> (Boddie)	detected/not detected
		Sprouts of vegetable, flower, berry crops, seedlings of fruit crops	-	0601, 0602		

		Fresh vegetables (salads and green crops), berries, and fresh fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 080610, 0807		
	para. 3	Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
952.	MR VNIKR No. 70-2014 Methodological recommendations for detection and identification of four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford/	Seedlings of coniferous trees	-	0602	Four-eyed fir bark beetle <i>Polygraphus proximus</i> Blandford	detected/not detected
	para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.), Japanese cedar (<i>C. japonica</i>)	-	0604202000, 0604204000		
		Wooden boxes, pallets, made of wood of coniferous trees	-	4415		
		Wood of coniferous trees	-	4401, 44032, 4404100000, 4406, 4407, 4409		
		Insects	-	-		
953.	STO VNIKR 2.037 Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch. Detection and identification techniques/	Sprouts of vegetable crops	-	0602	Hadda beetle <i>Epilachna vigintioctomaculata</i> Motsch.	detected/not detected
	para. 8	Insects	-	-		
954.	MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of oak lace bug <i>Corythucha arcuata</i> (Say)	Seedlings and vegetative parts of oak (<i>Quercus</i> spp.), Burbank's thornless blackberry (<i>Rubus ulmipholius</i>), European red raspberry (<i>Rubus ideaus</i>), rose (<i>Rosa</i> spp.), American chestnut (<i>Castanea dentata</i>)	-	0602, 0604	Oak lace bug <i>Corythucha arcuata</i> (Say)	detected/not detected
	para. 4	Insects	-	-		
955.	MR VNIKR No. 14-2015 Methodological recommendations for	Rolls of lawn grasses of Gramineae family	-	0602	Chinch bug <i>Blissus leucopterus</i> (Say)	detected/not detected

	detection and identification of chinch bug <i>Blissus leucopterus</i> (Say)/ para. 9	Insects	-	-		
956.	MR VNIKR No. 16-2015 Methodological recommendations for detection and identification of fig wax scale <i>Ceroplastes rusci</i> L./ para. 4.1-4.7	Seedlings and cuttings of different tree crops (fruit and ornamental trees with balls of earth), potted plants, potted plants	-	0602	Fig wax scale <i>Ceroplastes rusci</i> L.	detected/not detected
		Insects	-	-		
957.	MR VNIKR No. 22-2015 Methodological recommendations for detection and identification of tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker/ para. 4	Seedlings of coniferous and potted plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; seedlings of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>		0602	Tetranychid mite <i>Oligonychus perditus</i> Pritchard & Baker	detected/not detected
		Vegetative parts of coniferous plants of the cypress (Cupressaceae) family; yew (Taxaceae) family: Japanese yew <i>Taxus cuspidate</i> ; taxodium (Taxodiaceae) family: Japanese cedar <i>Cryptomeria japonica</i> ; vegetative parts of plants of rosaceous (Rosaceae) family: Chinese plum <i>Prunus salicina</i> ; plants of tea (Theaceae) family: tea <i>Camellia sinensis</i>	-	0604204000, 0604209000		
		Insects	-	-		
958.	MR VNIKR No. 23-2015 Methodological recommendations for detection and identification of spruce budworm <i>Choristoneura fumiferana</i> Clemens/ para. 4	Seedlings of coniferous trees	-	0602	Spruce budworm <i>Choristoneura fumiferana</i> Clemens	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)	-	0604202000, 0604204000		
		Insects	-	-		

959.	MR VNIKR No. 24-2015 Methodological recommendations for detection and identification of leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann/ para. 4	Seedlings of coniferous trees	-	0602	Leaf-footed conifer seed bug <i>Leptoglossus occidentalis</i> Heidemann	detected/not detected
		Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.)		0604202000, 0604204000		
		Insects	-	-		
960.	MR VNIKR No. 25-2015 Methodological recommendations for detection and identification of corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim/ para. 4	Sprouts of vegetative and flower crops	-	0601, 0602	Corn budworm <i>Diabrotica undecimpunctata</i> Mannerheim	detected/not detected
		Insects	-	-		
961.	MR VNIKR No. 27-2015 Methodological recommendations for detection and identification of sunflower beetle <i>Zygogramma exclamationis</i> Fabricius/ para. 4	Sunflower plants	-	0602	Sunflower beetle <i>Zygogramma exclamationis</i> Fabricius	detected/not detected
		Sunflower seeds	-	1206		
		Insects	-	-		
962.	MR VNIKR No. 69-2015 Methodological recommendations for detection and identification of red spider mite <i>Tetranychus evansi</i> Baker and Pritchard para. 4	Sprouts of vegetable, flower, ornamental and berry crops, potted plants	-	0601, 0602	Red spider mite <i>Tetranychus evansi</i> Baker and Pritchard	detected/not detected
		Fresh vegetables	-	0704, 0705, 0709		
		Seed potatoes	-	0701100000		
		Insects	-	-		
963.	MR VNIKR No. 114-2015 Methodological recommendations for detection and identification of round-headed apple-tree borer <i>Saperda candida</i> Fabricius para. 4	Seedlings and vegetative parts of fruit and ornamental plants of rosaceous (Rosaceae) family	-	0602, 0604	Round-headed apple-tree borer <i>Saperda candida</i> Fabricius	detected/not detected
		Insects	-	-		
964.	MR VNIKR No. 14-2016 Methodological recommendations for	Sprouts of vegetable, flower and berry crops	-	0601, 0602		detected/not detected

	detection and identification of golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)/ para. 3	Fresh vegetables (salads and green crops)	-	0704, 0705, 0709	Golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
965.	MR VNIKR No. 11-2014 Methodological recommendations for detection and identification of tobacco thrips <i>Frankliniella fusca</i> Hinds/ para. 4, 6	Sprouts of vegetable, flower and berry crops, as well as potted plants	-	0601, 0602	Tobacco thrips <i>Frankliniella fusca</i> Hinds	detected/not detected
		Fresh vegetables, berries, and fruits	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
966.	MR VNIKR No. 28-2015 Methodological recommendations for detection and identification of citrus mealybug <i>Pseudococcus citriculus</i> Green/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Citrus mealybug <i>Pseudococcus citriculus</i> Green	detected/not detected
		Fresh fruits	-	0810, 0806		
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
967.	MR VNIKR No. 06-2014 Methodological recommendations for detection and identification of coarse writing engraver <i>Ips calligraphus</i> / para. 4	Pine seedlings	-	0602	Coarse writing engraver <i>Ips calligraphus</i> (Germar)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
968.	MR VNIKR No. 07-2014 Methodological recommendations for detection and identification of five-spined bark beetle <i>Ips grandicollis</i> / para. 4	Pine seedlings	-	0602	Five-spined bark beetle <i>Ips grandicollis</i> (Eichhoff)	detected/not detected
		Pine wood with bark, containers made of pine with bark	-	4401, 4403, 4404		
		Insects	-	-		
969.	MR VNIKR No. 08-2014 Methodological recommendations for detection and identification of tortoise	Seedlings of fruit and ornamental plants, potted plants	-	0602	Tortoise wax scale <i>Ceroplastes japonicus</i> Green	detected/not detected
		Fruits of rosaceous crops	-	0808, 0809		

	wax scale <i>Ceroplastes japonicus</i> Green/ para. 4	Fresh cut flowers Insects	- -	0603, 060420 -		
970.	MR VNIKR No. 57-2015 Methodological recommendations for detection and identification of broad- nosed grain weevil <i>Caulophilus oryzae</i> Gyll./ para. 5	Ginger rootstalks Seeds of wheat, barley, rice, chickpea, corn Dried fruits and nuts Fresh avocado fruits Insects	- - - - -	0706, 0910 1209 0813 0804 -	Broad-nosed grain weevil <i>Caulophilus</i> <i>oryzae</i> Gyll.	detected/not detected
971.	MR VNIKR No. 58-2015 Methodological recommendations for detection and identification of citrus leafroller <i>Choristoneura occidentalis</i> Freeman para. 4	Plants and parts of coniferous trees: pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.), spruce (<i>Picea</i> spp.), larch (<i>Larix</i> spp.), hemlock (<i>Tsuga</i> spp.), douglas-fir (<i>Pseudotsuga</i> spp.) Seedlings of coniferous trees, potted plants of coniferous trees (bonsai) Insects	- - -	0604202000, 0604204000 0602 -	Citrus leafroller <i>Choristoneura</i> <i>occidentalis</i> Freeman	detected/not detected
972.	MR VNIKR No. 28-2012 Methodological recommendations for detection and identification of <i>Drosophila suzukii</i> Mats/ para. 4	Fresh fruits and berries Insects	- -	0804, 0805, 0806, 0808, 0809, 0810 -	Cherry drosophila <i>Drosophila suzukii</i> Mats	detected/not detected
973.	MR VNIKR No. 20-2016 Methodological recommendations for detection and identification of chestnut gall wasp <i>Dryocosmus kuriphilus</i> (Yasumatsu)/ para. 4	Seedlings and vegetative parts of ashes of the genus <i>Castanea</i> , potted plants (bonai)of ashes of the genus <i>Castanea</i> Insects	- -	0602, 0604 -	Chestnut gall wasp <i>Dryocosmus</i> <i>kuriphilus</i> (Yasumatsu)	detected/not detected
974.	MR VNIKR No. 21-2016 Methodological recommendations for detection and identification of bronze birch borer <i>Agrilus anxius</i> Gory/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Betula</i> spp.), potted plants (bonsai) of birch (<i>Betula</i> spp.) Wood of deciduous trees with and without bark (<i>Betula</i> spp.)	- -	0602, 0604 4401	Bronze birch borer <i>Agrilus anxius</i> Gory	detected/not detected

		Insects	-	-		
975.	MR VNIKR No. 22-2016 Methodological recommendations for detection and identification of aspen borer <i>Choristoneura conflictana</i> (Walker)/ para. 4	Seedlings and vegetative parts of deciduous trees (<i>Populus tremuloides</i> , <i>Alnus rugosa</i> , <i>Betula papyrifera</i> , <i>Populus balsamifera</i> , <i>Populus trichocarpa</i> , <i>Salix</i> spp)	-	0602, 0604	Aspen borer <i>Choristoneura conflictana</i> (Walker)	detected/not detected
		Insects	-	-		
976.	MR VNIKR No. 23-2016 Methodological recommendations for detection and identification of Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)/ para. 3, 4	Seed and ware potatoes	-	0701	Central American potato tuber worm <i>Tecia solanivora</i> (Povolny)	detected/not detected
		Insects	-	-		
977.	MR VNIKR No. 24-2016 Methodological recommendations for detection and identification of <i>Margarodes vitis</i> (Philippi)/ para. 4	Seedlings and sprouts of fodder crops, rooted cuttings and young plants	-	0602	Ground pearls <i>Margarodes vitis</i> (Philippi)	detected/not detected
		Insects	-	-		
978.	MR VNIKR No. 35-2016 Methodological recommendations for detection and identification of oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)/ para. 4	Seedlings of deciduous trees and bushes	-	0602	Oblique-banded leaf roller <i>Choristoneura rosaceana</i> (Harris)	detected/not detected
		Fruits of rosaceous crops (apples, pears, peaches)	-	0808, 0809,		
		Insects	-	-		
979.	MR VNIKR No. 36-2016 Methodological recommendations for detection and identification of white-pine weevil <i>Pissodes strobi</i> (Peck)/ para. 4	Seedlings of coniferous trees (spruce, pine)	-	0602	White-pine weevil <i>Pissodes strobi</i> (Peck)	detected/not detected
		Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.)	-	0604202000, 0604204000		
		Uncut chopped wood and spruce and pine bark	-	4401		
		Insects	-	-		
980.	MR VNIKR No. 29-2017 Methodological recommendations for	Seedlings of coniferous trees (spruce, pine)	-	0602		detected/not detected

	detection and identification of <i>Pissodes terminalis</i> Hopp./ para. 4	Plants and parts of pine (<i>Pinus</i> spp.) and spruce (<i>Picea</i> spp.). Uncut chopped wood and spruce and pine bark Insects	- - -	0604202000, 0604204000 4401 -	Lodgepole terminal weevil <i>Pissodes terminalis</i> Hopp.	
981.	MR VNIKR No. 65-2017 Methodological recommendations for detection and identification of deodar weevil <i>Pissodes nemorensis</i> Germ./ para. 4	Large-sized seedlings of coniferous trees (pine and cedar) Insects	- -	0602 -	Deodar weevil <i>Pissodes nemorensis</i> Germ.	detected/not detected
982.	MR VNIKR No. 48-2016 Methodological recommendations for detection and identification of Assam thrips <i>Scirtothrips dorsalis</i> Hood/ para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Assam thrips <i>Scirtothrips dorsalis</i> Hood	detected/not detected
983.	MR VNIKR No. 30-2017 Methodological recommendations for detection and identification of Hawaiian flower thrips <i>Thrips hawaiiensis</i> / para. 4, 6	Sprouts of flower and berry crops, potted plants Fresh vegetables, berries, and fruits Fresh cut flowers Insects	- - - -	0601, 0602 070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810 0603, 060420 -	Hawaiian flower thrips <i>Thrips hawaiiensis</i> Morgan	detected/not detected
984.	MR VNIKR No. 49-2016 Methodological recommendations for detection and identification of forest tent caterpillar <i>Malacosoma disstria</i> Hub/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops) Insects	- -	0602 -	Forest tent caterpillar <i>Malacosoma disstria</i> Hub	detected/not detected

985.	MR VNIKR No. 10-2017 Methodological recommendations for detection and identification of apple tent caterpillar <i>Malacosoma americanum</i> Fabr./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Apple tent caterpillar <i>Malacosoma americanum</i> Fabr.	detected/not detected
		Insects	-	-		
986.	MR VNIKR No. 11-2017 Methodological recommendations for detection and identification of mountain ring silk moth <i>Malacosoma parallela</i> Staud./ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Mountain ring silk moth <i>Malacosoma parallela</i> Staud.	detected/not detected
		Insects	-	-		
987.	MR VNIKR No. 65-2016 Methodological recommendations for detection and identification of cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)/ para. 4	Fresh fruits of the genus <i>Prunus</i> : cherry, sweet cherry and plum	-	0809	Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	detected/not detected
		Insects	-	-		
988.	MR VNIKR No. 94-2016 Methodological recommendations for detection and identification of common wireworm <i>Melanotus communis</i> (Gyllenhal)/ para. 4	Sprouts of vegetable crops	-	0602	Common wireworm <i>Melanotus communis</i> (Gyllenhal)	detected/not detected
		Seed and ware potatoes, carrot, other edible root tubers	-	0701, 0706		
		Insects	-	-		
989.	MR VNIKR No. 95-2016 Methodological recommendations for detection and identification of oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)/ para. 4	Fresh fruits and tomatoes		0702, 0804, 0805, 0806, 0807, 0808, 0809, 0810	Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected/not detected
		Insects	-	-		

990.	MR VNIKR No. 99-2016 Methodological recommendations for detection and identification of banana moth <i>Opogona sasccari</i> Bojer./ para. 3	Potted plants, seedlings of ornamental and fruit crops	-	0602	Banana moth <i>Opogona sasccari</i> (Bojer)	detected/not detected
		Fresh bananas	-	0803		
		Insects	-	-		
991.	MR VNIKR No. 4-2017 Methodological recommendations for detection and identification of brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/ para. 4.1-4.4, 4.6-4.7	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Brown marmorated stink bug <i>Halyomorpha halys</i> (Stol)/	detected/not detected
		Fresh cut flowers	-	0603, 0604		
		Sprouts of vegetable and ornamental crops, seedlings of fruit and ornamental crops	-	0601, 0602		
		Wood of deciduous and coniferous trees, bark	-	4401, 4403, 4404		
		Containers, boxes	-	4415		
		Insects	-	-		
992.	MR VNIKR No. 5-2017 Methodological recommendations for detection and identification of groundnut borer <i>Caryedon gonagra</i> (Fabricius)/ para. 4	Peanut and tamarind seeds	-	1202, 0810 902000	Groundnut borer <i>Caryedon gonagra</i> (Fabricius)	detected/not detected
		Insects	-	-		
993.	MR VNIKR No. 28-2017 MR VNIKR No. 04-2015 Methodological recommendations for detection and identification of sycamore lace bug <i>Corythucha ciliata</i> Say/ para. 4	Seedlings of deciduous forest, fruit and ornamental crops, potted plants (bonsai of deciduous crops)	-	0602	Sycamore lace bug <i>Corythucha ciliata</i> Say	detected/not detected
		Insects	-	-		
994.	MR VNIKR No. 35-2017	Sprouts of vegetable, flower and ornamental crops	-	0602		detected/not detected

	Methodological recommendations for detection and identification of pea leaf miner <i>Liriomyza langei</i> Frick, 1951 para. 4.1-4.4, 4.6	Fresh cut flowers	-	0603, 060420	Pea leaf miner <i>Liriomyza langei</i> Frick	
		Fresh leaf vegetables	-	0704, 0705, 0709		
		Insects	-	-		
995.	MR VNIKR No. 36-2017 Methodological recommendations for detection and identification of onion leaf miner <i>Liriomyza nitzkei</i> Spencer, 1973 para. 4	Onion and leek leaves	-	0703, 0705	Onion leaf miner <i>Liriomyza nitzkei</i> Spencer	detected/not detected
		Potted plants of onion and leek	-	0703, 0705		
		Insects	-	-		
996.	VNIKR No. 20-2013 Reference guidelines for identification of <i>Tephritidae</i> fruit fly larvae in fresh fruit products/ para. 6	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	<i>Tephritidae</i> fruit flies	detected/not detected
		Insects	-	-		
997.	MR VNIKR No. 141-2017 Methodological recommendations for detection and identification of <i>Acleris gloverana</i> (Walsingham), para. 4	Propagative material and vegetative parts of coniferous trees	-	-	Western black-headed bud worm <i>Acleris gloverana</i> (Walsingham)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
998.	MR VNIKR No. 142-2017 Methodological recommendations for detection and identification of eastern black-headed budworm <i>Acleris variana</i> (Fernald), para. 4	Propagative material and vegetative parts of coniferous trees	-	0602, 0604	Eastern black-headed budworm <i>Acleris variana</i> (Fernald)	detected/not detected
		Christmas trees and branches of coniferous trees	-	0604202000, 0604204000		
		Insects	-	-		
999.	MR VNIKR No. 143-2017 Methodological recommendations for detection and identification of cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday), para. 5	Sprouts of vegetable and potted crops, vegetative parts	-	0602, 0604	Cabbage semi-looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected/not detected
		Insects	-	-		
1000.	MR VNIKR No. 144-2017	Sprouts of vegetable, flower and berry crops, potted plants	-	0602, 0604	Common flower thrips	detected/not detected

	Methodological recommendations for detection and identification of <i>Frankliniella tritici</i> (Fitch), para. 4-6	Fresh vegetables, berries, and fruits	-	0702, 0703, 0704, 0705, 0706, 0707, 0708, 0709, 0710	Frankliniella tritici (Fitch)/	
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
1001.	MR VNIKR No. 145-2017 Methodological recommendations for detection and identification of <i>Frankliniella williamsi</i> Hood, para. 4-6	Corn plants	-	0602	Corn thrips <i>Frankliniella williamsi</i> Hood	detected/not detected
		Insects	-	-		
1002.	MR VNIKR No. 31-2017 Methodological recommendations for detection and identification of pink bollworm <i>Pectinophora gossypiella</i> (Saunders), para. 3	Plants of the family Malvaceae	-	0602	Pink bollworm <i>Pectinophora gossypiella</i> (Saunders)	detected/not detected
		Insects	-	-		
1003.	MR VNIKR No. 12-2017 Methodological recommendations for detection and identification of California citrus thrips <i>Scirtothrips citri</i> (Moulton), para. 4- 6	Foliated plants of lemon, mandarin, grapefruit including propagative material	-	0602	California citrus thrips <i>Scirtothrips citri</i> (Moulton)	detected/not detected
		Fruits of citrus crops	-	0805		
		Insects	-	-		
1004.	MR VNIKR No. 52-2017 Methodological recommendations for detection and identification of root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)/ para. 4	Seedlings of fruit and ornamental plants, potted plants	-	0602	Root mealybug <i>Ripersiella (Rhizoecus) hibisci</i> (Kawai&Takagi)	detected/not detected
		Fresh cut flowers	-	0603, 060420		
		Insects	-	-		
1005.	MR VNIKR No. 137-2017 Methodological recommendations for detection and identification of pear driller <i>Numonia pyrivorella</i> (Matsumura), para.5	Pear seedlings	-	0602	Pear driller <i>Numonia pyrivorella</i> (Matsumura)	detected/not detected
		Pear fruits	-	080830		
		Insects	-	-		
1006.	MR VNIKR No. 66-2017 Methodological recommendations for detection and identification of Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)/ para. 4	Propagative material of plants of the family Cucurbitaceae (with soil)	-	0602	Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	detected/not detected
		Fruits of plants of Cucurbitaceae family	-	0807		
		Insects	-	-		

1007.	MR VNIKR No. 112-2017 Methodological recommendations for detection and identification of burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)/ para. 4	Seedlings, potted plants of Asteraceae family		0602	Burdock leaf miner <i>Amauromyza maculoza</i> (Malloch)	detected/not detected
		Cut plants	-	0603, 060420		
		Insects	-	-		
1008.	MR VNIKR No. 115-2015 Methodological recommendations for detection and identification of <i>Agilus mali</i> Matsumura/ para. 4	Apple seedlings	-	0602	Apple buprestid <i>Agilus mali</i> Matsumura	detected/not detected
		Unprocessed wood of apple trees	-	4401, 4403		
		Insects	-	-		
1009.	MR VNIKR No. 110-2014 Methodological recommendations for detection and identification of melon fly <i>Bactrocera cucurbitae</i> (Coquillett)/ para. 4	Fresh cucumbers, pumpkins, marrow squashes, and other vegetables of Cucurbitaceae family	-	0707, 0709	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
		Melons	-	0807		
		Propagative material of plants of the family Cucurbitaceae (with soil)		0602		
		Insects	-	-		
1010.	Practical identification guide for Coccoidea species of cultivated and forest plants of USSR. Borhsenius N. S. Leningrad: Nauka. 1973 y. 311 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Coccoidea	detected/not detected
		Seedlings of forest, ornamental, and cultivated plants	-	0602		
		Vegetative parts of forest, ornamental, and cultivated plants		0604		
		Insects	-	-		
1011.	Moths, pests of grain and food stocks. Zaguliaev A. K. Moscow-Leningrad. 1965. 271 p.	Seeds and grains of cereal, leguminous, oilseed crops, dried fruits,		1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212,	Moths of Tineidae, Gelechiidae, Momphidae, Pyralidae families	detected/not detected

				1213000000, 1214		
		Processing products of grains of cereal, leguminous, oilseed crops		1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
1012.	Reference identification guide of quarantine and other harmful pests of raw materials, stored products, and seeds. Authors Ia. B. Mordkovich, E. A. Sokolov; ed. by V. V. Popovich. Moscow: Kolos. 1999 y. 384 p.	Fresh fruits and vegetables	-	070200000, 0703, 0704, 0705, 070700, 0709, 080610, 0808, 0809, 0810	Pests of Coleoptera and Lepidoptera orders	detected/not detected
		Seeds and grains of cereal, leguminous, oilseed crops, dried fruits	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 0713, 1201, 1202, 1203000000, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213000000, 1214, 0813		
		Seeds of vegetable, forest, ornamental, and crops	-	1209, 0801, 0802, 0811, 0909		
		Processing products of grains of cereal, leguminous, oilseed crops	-	1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109		
		Insects	-	-		
1013.	Methodical guidelines for genital identification of male species of larvae of leafroller species caught in glue traps with the pheromone of the oriental fruit moth. Komarova G. F., Gavrilova T. M., Kudina Zh. D. Moscow. 1983 y. 28 p.	Insects	-	-	Leafrollers (Tortricidae) caught in traps with the pheromone of the oriental fruit moth.	detected/not detected
1014.	Insect identification guide by larvae. Mamaev B. M.	Insects	-	-	Larvae of Coleoptera,	detected/not detected

	Moscow: Posveshchenie. 1972 y. 400 p.				Trichoptera, Diptera, Ephemeroptera, Odonata, Plecoptera, Mecoptera, Raphidioptera, Lepidoptera, Hymenoptera orders	
1015.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliated seedlings and potted plants of citrus, fruit crops, roses, grapevine	-	0602	Blue grey fly <i>Aleurocanthus spiniferus</i> Quaint.	detected/not detected
		Insects	-	-		
1016.	Order and family identification guide for insects in Russia. Gornostaev G.N. Moscow: Logos. 1999 y. 176 p.	Insects	-	-	Pests of Protura, Collembola, Diplura, Machiloidea or Thysanura, Blattodea, Mantodea, Isoptera, Grilloblatodea, Plecoptera, Dermaptera, Embiodea, Orthoptera, Phasmatodea, Ephemeroptera, Odonata, Psocodea, Mallophaga, Anoplura, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Raphidioptera, Megaloptera, Neuroptera, Trichoptera, Mecoptera, Lepidoptera,	detected/not detected

					Hymenoptera, Diptera, Siphonaptera orders	
1017.	Pests of greenhouse and glasshouse plants (morphology, lifestyle, harmfulness, control). Akhatov A. K., Izhevskii S.S. (ed.). Moscow: KMK Association of Scientific Publications. 2004 y. 307 p.	Insects	-	-	Pests of Acariformes, Collembola, Blattodea, Orthoptera, Dermaptera, Homoptera, Heteroptera, Thysanoptera, Coleoptera, Lepidoptera, Diptera orders and families	detected/not detected
1018.	Atlas of harmful insects of forest species. Novak V., Grozinka F., Stary B. State agricultural publishing house. Praga. 1974 y. 125 p.	Insects	-	-	Pests of Orthoptera, Hymenoptera, Coleoptera, Lepidoptera, Homoptera, Heteroptera, Diptera, Thysanoptera orders	detected/not detected
1019.	MR VNIKR No. 113-2017 Methodological recommendations for detection and identification of <i>Aleurocanthus woglumi</i> and <i>Aleurocanthus spiniferus</i> , para. 4	Foliaceous seedlings of citrus and subtropical fruit crops (rose, persimmon, grapes, pears)	-	0602	<i>Aleurocanthus woglumi</i>	detected/not detected
		Potted plants with citrus, fruit crops and roses, as well as other plants (ficus, myrtle, hibiscus)	-	0602		

		Cut flowers, especially roses	-			
1020.	MR VNIKR No. 96-2018 Methodological recommendations for detection and identification of <i>Aromia bungii</i> (Faldermann) para. 3	Fuel wood in the form of logs, billets, twigs, bundles of twigs, or similar forms	-	4401100009	<i>Aromia bungii</i> (Faldermann)	detected/not detected
		Fuel wood in the form of logs up to 1 m long or split logs and billets	-	4401100001		
		Trees, shrubs, and bushes, grafted or not grafted, bearing edible fruits or nuts	-	060220		
		Forest trees	-	0602904100		
		Other trees, shrubs, and bushes for non-protected ground	-	0602904900		
		Other timber sawn or chipped lengthwise, sliced or peeled, planed or not, polished or not	-	4407999809		
1021.	MR VNIKR No. 16-2019 Methodological recommendations for detection and identification of <i>Aonidiella aurantii</i> (Maskell) para. 10	Other citrus fruits (propagative material)	-	0602203000	<i>Aonidiella aurantii</i> (Maskell)	detected/not detected
		Roses grafted or not grafted	-	0602400000		
		Shortened cuttings and young plants, exception for cacti	-	0602907000		
		Grape cuttings, grafted and shortened	-	0602201000		
		Other flowering plants with buds or flowers, except cacti	-	0602909100		
		Other plants for protected ground	-	0602909900		
		Other living non-shortened cuttings and live plant offshoots	-	0602109000		
		Plants for non-protected ground, other	-	0602905000		
		Shortened cuttings and young plants for non-protected ground	-	0602904500		
		Trees, shrubs and bushes, grafted and ungrafted with open root system	-	0602202000		
		Other living plants (including their roots, cuttings and offshoots), not grafted	-	0602904600		
		Other coniferous and evergreen trees, shrubs and bushes with open root system	-	0602904700		
		Other trees and shrubs for non-protected ground	-	0602904800		
Other living non-shortened grape cuttings and offshoots	-	0602101000				
1022.	MR VNIKR No. 30-2019	Other citrus fruits (propagative material)	-	0602203000		

	<p>Methodological recommendations for detection and identification of <i>Chrysomphalus dictyospermi</i> (Morgan) para. 10</p>	<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602208000</p>	<p><i>Chrysomphalus dictyospermi</i> (Morgan)</p>	<p>detected/not detected</p>
<p>Other trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>0602209000</p>				
<p>Roses grafted or not grafted</p>	<p>-</p>	<p>0602400000</p>				
<p>Shortened cuttings and young plants, exception for cacti</p>	<p>-</p>	<p>0602907000</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other flowering plants with buds or flowers, except cacti</p>	<p>-</p>	<p>0602909100</p>				
<p>Other plants for protected ground</p>	<p>-</p>	<p>0602909900</p>				
<p>Other living non-shortened cuttings and live plant offshoots</p>	<p>-</p>	<p>0602109000</p>				
<p>Shortened cuttings and young plants for non-protected ground</p>	<p>-</p>	<p>0602904500</p>				
<p>Other live plants (including their roots), cuttings and offshoots</p>	<p>-</p>	<p>0602904600</p>				
<p>Other coniferous and evergreen trees, shrubs and bushes with open root system</p>	<p>-</p>	<p>0602904700</p>				
<p>Other trees, shrubs, and bushes for non-protected ground</p>	<p>-</p>	<p>0602904800</p>				
<p>Plants for non-protected ground, other</p>	<p>-</p>	<p>0602905000</p>				
<p>Trees, shrubs and bushes, grafted and not grafted</p>	<p>-</p>	<p>060222000</p>				
<p>Grape cuttings, grafted and shortened</p>	<p>-</p>	<p>0602201000</p>				
<p>Other living non-shortened grape cuttings and offshoots</p>	<p>-</p>	<p>0602101000</p>				
<p>1023.</p>	<p>MR VNIKR No. 21-2019 Methodological recommendations for detection and identification of <i>Cidia prunivora</i> (Walsingham) para. 5</p>	<p>Apples, pears and quinces fresh</p>	<p>-</p>	<p>0808</p>	<p><i>Cidia prunivora</i> (Walsingham)</p>	<p>detected/not detected</p>
<p>Apricots, cherries, sweet cherries, plums, thorns, peaches (including nectarines), fresh</p>	<p>-</p>	<p>0809</p>				
<p>Other live non-shortened cuttings and branches of rosaceous seedlings</p>	<p>-</p>	<p>0602109000</p>				
<p>Other trees, bushes and shrubs, grafted or not grafted, bearing edible fruits and nuts as far as Rosaceae seedlings are concerned</p>	<p>-</p>	<p>0602209000</p>				

		Shortened cuttings and young plants for non-protected ground, regarding rosaceous seedlings	-	0602904500		
1024.	Manual on Inspection and Examination of Plant and Other Quarantine Materials, ed. Varshalovich A.A. and Shamonin M.G. Kolos, Moscow. 1972 Part III. Entomological analysis	Live trees and other plants; bulbs, roots, and other similar plant parts; cut flowers and ornamental herbs	-	0601, 0602, 0603, 0604	Presence of entomological objects	detected/not detected
		Fresh or refrigerated root and tuber crops, vegetables, berries, fruits, mushrooms.	-	0701, 070200000,0703, 07044, 0705, 0706, 070700, 0708,0709, 0710, 0711, 0712, 0713, 0714		
		Fresh or dried vegetables and fruits, nuts and dried fruits	-	0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809, 0810, 0811, 0812, 0813, 0814000000		
		Coffee, tea and spices	-	0901, 0902, 0903000000, 0904, 0905, 0906, 0907, 0908, 0909, 0910		
		Cereals	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008		
		Products of the flour and cereals industry	-	110100, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109000000		
		Oil seeds and fruits; other seeds, fruits,, grains; medicinal plants and technical plants; straw and forage	-	1201, 1202, 1203000000, 120400, 1205, 120600, 1207.1208, 1209,		

				1210, 1211, 1212, 1213000000, 1214		
		Gum, resin, and other plant extracts	-	1301, 1302		
		Plant materials for the manufacture of wicker products, other products of plant origin	-	1401, 1404		
		Food industry residues and waste: fine and coarse milled flour, bran, cake	-	2301, 2302, 2303, 2304000000, 2305000000, 2306, 230700, 230800, 2309		
		Tobacco raw materials, waste	-	2401, 2402, 2403		
		Soil, earth, peat (including fragmented peat), fertilizers of animal and plant origin	-	2512000000, 2703000000, 270400.31010000 00, 3105		
		Unprocessed hides (except natural fur) and crafted leather	-	4101, 4102, 4103, 4104, 4105, 4106, 4107, 4112000000, 4113, 4114, 4115		
		Natural and synthetic fur; products from it	-	4301, 4302, 4303, 4304000000		
		Wood of deciduous and coniferous trees and products made of it	-	4401, 4402, 4403, 4404, 4405000000, 4406, 4407, 4408, 4409, 4410, 4111, 4412, 4413000000, 441400, 4415, 4416000000, 4417000000, 4418, 4419, 4420, 4421, 4501, 4502000000, 4503, 4504		

		Works of art, collectibles	-	9705000000		
1025.	MR VNIKR No. 44-2018 Methodological recommendations for identification of quarantine fruit fly species (Tephritidae)/ para. 3	Insects	-	-	Melon fly <i>Bactrocera cucurbitae</i> (Coquillett)	detected/not detected
					Blueberry maggot <i>Rhagoletis mendax</i> Curran	
					Apple fruit fly <i>Rhagoletis pomonella</i> (Walsh)	
					Mediterranean fruit fly <i>Ceratitis capitata</i> (Wied.)	
					Baluchistan melon fly <i>Myiopardalis pardalina</i> (Bigot)	
					Oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	
					Cherry maggot <i>Rhagoletis cingulata</i> (Loew, 1862)	
1026.	MR VNIKR N.. 73-2018 Methodological recommendations for detection and identification of <i>Anastrepha fraterculus</i> (Wiedemann) and <i>Anastrepha grandis</i> (Wiedemann). para. 5	Fruits of Cucurbitaceae family plants	-	0807	South American fruit fly <i>Anastrepha grandis</i> (Wiedemann) South American fruit fly <i>Anastrepha grandis</i> (Wiedemann)	detected/not detected
		Insects	-	-		
		Rooted planting material of seed, stone fruits, tropical and subtropical crops	-	0602		
		Fruits of rosaceous crops; fruits of subtropical crops; fruits of tropical crops	-	0804, 0805, 0807, 0808, 0809, 0810		
		Insects	-	-		
1027.	MR VNIKR No. 85-2019 Methodological recommendations for detection and identification of <i>Rhynchophorus ferrugineus</i> Olivier. para. 6. 8, 6.9	Propagative material of palm trees	-	0602	<i>Rhynchophorus ferrugineus</i> Olivier.	detected/not detected
		Plants for non-protected ground, other, palms only	-	0602904900		
		Other live plants (including their roots), cuttings and offshoots; trees, shrubs and bushes; evergreens for palms only	-	0602904700, 0602904800		

1028.	MR VNIKR No. 45-2019 Methodological recommendations for detection and identification of <i>CYDIA PACKARDI</i> (ZELLER), para. 5	Apples, pears and quinces fresh; apricots, cherries and sweet cherries, peaches (including nectarines), plums, and thorns, fresh;	-	0808, 0809	<i>Cydia packardi</i> (Zeller)	detected/not detected
		Other live unrooted cuttings and offshoots of live plants, other than grapes, as far as <i>Rosaceae</i> seedlings are concerned; other trees, shrubs and bushes, grafted or not grafted, bearing edible fruits and nuts as far as <i>Rosaceae</i> seedlings are concerned; rooted cuttings and young plants for non-protected ground as far as <i>Rosaceae seedlings</i> are concerned.	-	0602109000, 0602209000, 0602904500		
		Insects	-	-		
1029.	STO VNIKR 3.013 White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings. Detection and identification techniques/ para. 7	Chrysanthemum plants and cut flowers	-	0602, 0603140000	White rust of chrysanthemum <i>Puccinia horiana</i> P. Hennings	detected/not detected
		Chrysanthemum plants, parts of chrysanthemum plants and cut flowers	-	-		
1030.	STO VNIKR 6.001 Golden nematodes <i>Globodera rostochiensis</i> (Woll.) Behrens and <i>Globodera pallida</i> (Stone) Behrens. Detection and identification techniques/ para.9	Seed and ware potatoes	-	0701	Pale potato cyst nematode <i>Globodera pallida</i> (Stone) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
		Seed and ware potatoes	-	0701	Golden nematode <i>Globodera rostochiensis</i> (Woll.) Behrens	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
Parts of plants and soil	-	-				

1031.	MR VNIKR No. 32-2015 Methodological recommendations for detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe) para.7	Soybean grains and seeds	-	1201	Soybean cyst nematode <i>Heterodera glycines</i> Ichinohe	detected/not detected
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Parts of plants and soil	-	-		
1032.	STO VNIKR 6.004 Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen. Detection and identification techniques/	Seed and ware potatoes	-	0701	Columbia root-knot nematode <i>Meloidogyne chitwoodi</i> Golden et al.	detected/not detected
		Bulbs, corms, rhizomes of ornamental crops, seedlings of herbaceous crops, seedlings of woody crops, potted plants	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek (<i>Allium porrum</i> L.), and other allium vegetables, carrot (<i>Daucus</i> L), forage turnip (<i>Brassica rapa</i> L.), red beet (<i>Beta</i> L), salsify (<i>Tragopogon</i> L.), celeriac (<i>Apium</i> L.), radish (<i>Raphanus sativus</i> L.), rutabaga (<i>Brassica napobrassica</i>), cabbage (<i>Brassica aleracea</i> var. <i>acephata</i>), beet (<i>Beta vulgaris</i>), sugar beet (<i>Beta vulgaris</i>), cassava (<i>Manihot esculenta</i>), arrowroot (<i>Maranta</i> L), salep, artichoke, or canada potato (<i>Helianthus tuberosus</i>), sweet potato (<i>Ipomoea batatas</i>), and other root and tuber crops	-	0703, 0704909000, 0706, 0709992000, 0714		
		Parts of plants and soil	-	-	False Columbia root-knot nematode <i>Meloidogyne fallax</i> Karssen	detected/not detected
		Seed and ware potatoes	-	0701		
		Seedlings of tree crops, potted plants, bulbs, bulbous tubers, rootstock of ornamental plants, sprouts of herbaceous crops	-	0601, 0602		
		Garden onion (<i>Allium cepa</i> L.) potato onion (<i>Allium ascalonicum</i> L.), garlic (<i>Allium sativum</i> L.), common leek	-	0703, 0704909000, 0706,		

	para.8	(Allium porrum L.), and other allium vegetables, carrot (Daucus L), forage turnip (Brassica rapa L.), red beet (Beta L), salsify (Tragopogon L.), celeriac (Apium L.), radish (Raphanus sativus L.), rutabaga (Brassica napobrassica), cabbage (Brassica aleracea var. acephata), beet (Beta vulgaris), sugar beet (Beta vulgaris), cassava (Manihot esculenta), arrowroot (Maranta L), salep, artichoke, or canada potato (Helianthus tuberosus), sweet potato (Ipomoea batatas), and other root and tuber crops		0709992000, 0714		
		Parts of plants and soil	-	-		
1033.	MR VNIKR No. 32-2012 Methodological recommendations for detection and identification of mouse-ear poverty weed <i>Iva axillaris</i> Pursh./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Mouse-ear poverty weed <i>Iva axillaris</i> Pursh.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000,		

				1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1034.	MR VNIKR No. 49-2013 Methodological recommendations for detection and identification of bull nettle <i>Solanum carolinense</i> L./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Bull nettle <i>Solanum carolinense</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1035.	MR VNIKR No. 37-2015 Methodological recommendations for detection and identification of beaked nightshade <i>Solanum rostratum</i> Dun./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Beaked nightshade <i>Solanum rostratum</i> Dun.	detected/not detected

	para. 3	Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1036.	MR VNIKR No. 50-2013 Methodological recommendations for detection and identification of white horse nettle <i>Solanum elaeagnifolium</i> Cav./ para. 3-4	Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	- -	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401,	White horse nettle Solanum elaegnifolium Cav.	detected/not detected

				2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1037.	MR VNIKR No. 28-2014 Methodological recommendations for detection and identification of Texas blueweed <i>Helianthus ciliaris</i> DC./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Texas blueweed <i>Helianthus ciliaris</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1038.	STO VNIKR 7.011 Cuman ragweed <i>Ambrosia psilostachya</i> DC. Detection and identification techniques/	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cuman ragweed <i>Ambrosia psilostachya</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004,		

	para. 7	processing; wool, floss, fibers of plant; sand, earth, soil.		1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1039.	STO VNIKR 7.009 American wormwood <i>Ambrosia artemisiifolia</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	American wormwood <i>Ambrosia artemisiifolia</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of all specified plants; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		

		Plants, fruits, seeds	-	-		
1040.	STO VNIKR 7.010 Buffalo weed <i>Ambrosia trifida</i> L. Detection and identification techniques/ para. 7	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Buffalo weed <i>Ambrosia trifida</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1041.	MR VNIKR No. 12-2013 Methodological recommendations for detection and identification of creeping knapweed <i>Acroptilon repens</i> (L.) DC/ para. 5	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Creeping knapweed <i>Acroptilon repens</i> (L.) DC	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206,		

				1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1042.	MR VNIKR No. 29-2014 Methodological recommendations for detection and identification of cutleaf nightshade <i>Solanum triflorum</i> Nutt./ para. 3-4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Cutleaf nightshade <i>Solanum triflorum</i> Nutt.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1043.	MR VNIKR No. 11-2015	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	Dodders of the genus <i>Cuscuta</i> L.	detected/not detected

	<p>Methodological recommendations for detection and identification of plants of the genus <i>Cuscuta</i> L./</p> <p>para. 3</p>			<p>1204, 1205, 1206, 1207, 1209, 1211</p>		
		<p>Live plants, herbaceous plants and trees, cut flowers and other fresh plant parts</p>	<p>-</p>	<p>0602, 0603, 0604</p>		
		<p>Fresh grapevine</p>	<p>-</p>	<p>0806</p>		
		<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p>	<p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
		<p>Plants, fruits, seeds</p>	<p>-</p>	<p>-</p>		
<p>1044.</p>	<p>MR VNIKR No. 48-2013 Methodological recommendations for detection and identification of coast sandbur <i>Cenchrus pauciflorus</i> Benth. And closely related species/ para. 4</p>	<p>Seeds (seed material) of plants</p>	<p>-</p>	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211</p>	<p>Long-spine sandbur <i>Cenchrus longispinus</i> (Hack) Fern</p>	<p>detected/not detected</p>
		<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	<p>-</p>	<p>0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211,</p>		

				1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Fresh melons and watermelons	-	0807		
		Plants, fruits, seeds	-	-		
1045.	MR VNIKR No. 30-2015 Methodological recommendations for detection and identification of the genus <i>Striga</i> Lour./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Strigas of the genus <i>Striga</i> Lour.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1046.	MR VNIKR No. 29-2015 Methodological recommendations for detection and identification of	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201,	<i>Ailanthus Ailanthus altissima</i> (Mill.) Swingle	detected/not detected

	<p>ailanthus <i>Ailanthus altissima</i> (Mill.) Swingle/ para. 3</p>	<p>Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000</p>		
1047.	<p>MR VNIKR No. 56-2015 Methodological recommendations for detection and identification of Spanish blackjack <i>Bidens bipinnata</i> L./ para. 4</p>	<p>Seeds (seed material) of plants Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.</p>	-	<p>1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211 0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000,</p>	Spanish blackjack <i>Bidens bipinnata</i> L.	detected/not detected

				2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1048.	MR VNIKR No. 74-2015 Methodological recommendations for detection and identification of blackjack <i>Bidens pilosa</i> L./ para. 4	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Blackjack <i>Bidens pilosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 2304000000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1049.	MR VNIKR No. 38-2017 Methodological recommendations for detection and identification of morning glory <i>Ipomoea hederacea</i> Jacq./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Morning glory <i>Ipomoea hederacea</i> Jacq.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw,	-	0505, 0604, 0902, 0903000000,		


	para. 3	other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.		0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1050.	MR VNIKR No. 37-2017 Methodological recommendations for detection and identification of pitted morning glory <i>Ipomoea lacunosa</i> L./ para. 3	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Pitted morning glory <i>Ipomoea lacunosa</i> L.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000,		

				4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1051.	MR VNIKR No. 131-2017 Methodological recommendations for detection and identification of toothed spurge <i>Euphorbia dentata</i> Michx. para. 7-8	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Toothed spurge <i>Euphorbia dentata</i> Michx.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1052.	MR VNIKR No. 132-2017 Methodological recommendations for detection and identification of California sunflower <i>Helianthus</i> <i>californicus</i> DC./	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	California sunflower <i>Helianthus</i> <i>californicus</i> DC.	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, earth, soil.	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104,		

	para. 3			1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404, 2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
		Plants, fruits, seeds	-	-		
1053.	Flora of the middle belt of the European part of Russia. Mayevsky P. F. Moscow: KMK Association of Scientific Publications. 2014 y. p. 203-205	Plants, plant parts	-	-	<i>Sicyos angulatus L.</i>	detected/not detected
1054.	Weed plants of the USSR. Nikitin V. V. Leningrad: Nauka. 1983 y. 454 p. c. pp. 55-403; 445-452	Plants, plant parts	-	-	Taxonomic list of weeds	detected/not detected
1055.	Seeds of weed plants. Dobrokotov V. N. Moscow: Selkhozizdat. 1961, p. 414; p.25-414, tab. I-L	Seeds (seed material) of plants	-	1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1201, 1204, 1205, 1206, 1207, 1209, 1211	Taxonomic list of weeds	detected/not detected
		Grains of cereals, legumes, oilseed, technical and other field crops, hay, straw, other forages of plant origin, dry plants of any application and products of their processing; wool, floss, fibers of plant; sand, soil, earth	-	0505, 0604, 0902, 0903000000, 0909, 0910, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1103, 1104, 1106, 1107, 1201, 1204, 1205, 1206, 1207, 1209, 1211, 1213000000, 1214, 1401, 1404,		

			-	2302, 230400000, 2308009000, 230990, 2401, 2530900009, 2703000000, 4101, 4102, 4301, 9705000000		
--	--	--	---	---	--	--

Director of the Moscow branch of FGBU "VNIKR"



K.P.Kornev